

BIBLIOGRAPHIE

- Ahorner, L. 1975. Present-day stress field and seismotectonic block movements along major fault zones in Central Europe. *Tectonophysics* 29, n°. 1 (Décembre): 233-249. doi:10.1016/0040-1951(75)90148-1.
- . 1983. Historical seismicity and present-day activity of the Rhenish Massif, Central Europe. Dans *Plateau Uplift, the Rhenish Shield - a Case History*, 198-221. Springer-Verlag. Berlin: Fuchs, K., von Gehlen, K., Mälzer, H., Murawski, H. and Semmel, A., editors.
- Aki, Keiiti, et Paul G. Richards. 2002. *Quantitative Seismology*. 2 éd. University Science Books, Juillet.
- Alexandre, P. 1990. Les séismes en Europe du occidentale de 394 à 1259. *Nouveau catalogue critique*. Observatoire royal de Belgique. Série Géophysique N° Hors-Série.
- Alexandre, P., D. Kusman, T. Petermans, et T. Camelbeeck. 2008. The 18 september 1692 earthquake in the Belgian Ardenne and its aftershocks. *Historical Seismology*: 209–230.
- Ambraseys, N. 1985. Intensity-attenuation and magnitude-intensity relationships for northwest European earthquakes. *Earthquake Engineering and Structural Dynamics* 13: 733-778.
- Bakun, William H., et C. Wentworth. 1997. Estimating earthquake location and magnitude from seismic intensity data. *Bulletin of the Seismological Society of America* 87: 1502-1521.
- van Balen, R. T., F. S. Busschers, et G. E. Tucker. 2010. Modeling the response of the Rhine-Meuse fluvial system to Late Pleistocene climate change. *Geomorphology* 114, n°. 3 (Janvier 15): 440-452. doi:10.1016/j.geomorph.2009.08.007.
- Barker, R.D. 1989. Depth of investigation of collinear symmetrical four-electrode arrays. *Geophysics* 54: 1031-1037.
- Beard, L.P., G.W. Hohmann, et A.C. Tripp. 1996. Fast resistivity/IP inversion using a low-contrast approximation. *Geophysics* 61: 169-179.
- Beauvais, A, M Ritz, J-C Parisot, M Dukhan, et C Bantsimba. 1999. Analysis of poorly stratified lateritic terrains overlying a granitic bedrock in West Africa, using 2-D electrical resistivity tomography. *Earth and Planetary Science Letters* 173, n°. 4: 413-424.
- de Béthune, P., et L. Bouckaert. 1968. Geological Map of Belgium and Neighbouring Countries. Geological Map of Belgium and Neighbouring Countries. Bruxelles.
- Binley, A., et A. Kemna. 2005. Electrical Methods. Dans *Hydrogeophysics*, 129-156. Springer. Rubin and Hubbard (Eds).
- Borne, V. 1990. La méthode électromagnétique EM 34-3 pour la prospection de sub-surface. *Bulletin of Engineering Geology and the Environment* 42, n°. 1 (Octobre 1): 11-20. doi:10.1007/BF02592615.
- Bridgland, D. 2000. River terrace systems in north-west Europe: an archive of environmental change, uplift and early human occupation. *Quaternary Science Reviews* 19, n°. 13 (Septembre): 1293-1303. doi:10.1016/S0277-3791(99)00095-5.
- Bridgland, D., et R. Westaway. 2008. Climatically controlled river terrace staircases: A worldwide Quaternary phenomenon. *Geomorphology* 98, n°. 3 (Juin 15): 285-315. doi:10.1016/j.geomorph.2006.12.032.
- Bridgland, D., R. Westaway, et S. Cordier. 2009. Les causes de l'étagement des terrasses alluviales à travers le monde. *Quaternaire*, n°. 20. Les systèmes fluviaux des bassins versants de la Moselle et du Rhin (France, Allemagne, Luxembourg) (Mars 1): 5-23.
- Brune, J.N. 1970. Tectonic Stress and the spectra of shear waves. *Journal of Geophysical Research* 75: 4997-5009.
- Calbini, V. 2003. La structure de la croûte en Belgique par inversion en deux dimensions de données sismiques. Université Catholique de Louvain.

- Camelbeeck, T. 1985. Some notes concerning the seismicity in Belgium. Magnitude scale. Detection capability of the Belgian seismic stations. Dans *Seismic activity in western Europe*. Reidel. P. Melchior.
- . 1993. Mécanisme au foyer des tremblements de terre et contraintes tectoniques : le cas de la zone intraplaque belge. Thèse de doctorat, Louvain-la-Neuve: Université Catholique de Louvain.
- Camelbeeck, T., D. Jongmans, et K. Vanneste. 1998. Belle Hé (Solwaster): an active fault scarp in the Hoëgne valley (Hockai fault zone)? Dans *Guide d'excursion*, 9-12. Münsbach (Luxembourg).
- Camelbeeck, T., E. Knuts, F. De Vos, et P. Alexandre. 2009. The historical earthquake database of the Royal Observatory of Belgium. *Cahiers du Centre Européen de Géodynamique et de Séismologie* 28: 31-36.
- Camelbeeck, T., et M. Meghraoui. 1996. Large earthquakes in northern Europe more likely than once thought. *EOS, Transactions AGU* 77: 405-409.
- . 1998. Geological and geophysical evidence for large paleo-earthquake with surface faulting in the Roer Graben (northwest Europe). *Geophysical Journal International* 132: 347-362.
- Camelbeeck, T., M. Van Camp, D. Jongmans, O. Francis, et T. van Dam. 2002. Comment on "Nature of the recent vertical ground movements inferred from high-precision leveling data in an intraplate setting: NE Ardenne, Belgium" by A. Demoulin and A. Collignon. *Journal of Geophysical Research* 107, n°. 11 (Novembre 8): 2281. doi:10.1029/2001JB000397.
- Camelbeeck, T., K. Vanneste, P. Alexandre, K. Verbeeck, T. Petermans, P. Rosset, M. Everaerts, R. Warnant, et M. Van Camp. 2007. Relevance of active faulting and seismicity studies to assessments of long-term earthquake activity and maximum magnitude in intraplate northwest Europe, between the Lower Rhine Embayment and the North Sea. *GSA Special Papers* 425: 193.
- Camelbeeck, Th, K. Vanneste, P. Alexandre, K. Verbeeck, T. Petermans, P. Rosset, M. Everaerts, M. Warnant, et M. Van Camp. 2007. Relevance of active faulting and seismicity studies to assessments of long-term earthquake activity and maximum magnitude in intraplate northwest Europe, between the Lower Rhine Embayment and the North Sea. Dans *Continental Intraplate Earthquakes: Science, Hazard, and Policy Issues*, éd. S. Stein et S. Mazzotti, Special Paper 425:193-224. Geological Society of America.
- Caporali, A., C. Aichhorn, M. Becker, I. Fejes, L. Gerhatova, D. Ghitau, G. Grenerczy, et al. 2008. Geokinematics of Central Europe: New insights from the CERGOP-2/Environment Project. *Journal of Geodynamics* 45, n°. 4 (Mai): 246-256. doi:10.1016/j.jog.2008.01.004.
- Caporali, A., et S. Martin. 2000. First results from GPS measurements on present day alpine kinematics. *Journal of Geodynamics* 30, n°. 1 (Février): 275-283. doi:10.1016/S0264-3707(99)00037-X.
- Caporali, Alessandro, Silvana Martin, et Matteo Massironi. 2003. Average strain rate in the Italian crust inferred from a permanent GPS network – II. Strain rate versus seismicity and structural geology. *Geophysical Journal International* 155, n°. 1: 254-268. doi:10.1046/j.1365-246X.2003.02035.x.
- Champagnac, J. D., P. Molnar, R. S. Anderson, C. Sue, et B. Delacou. 2007. Quaternary erosion-induced isostatic rebound in the western Alps. *Geology* 35, n°. 3: 195.
- Cloetingh, S., P. A. Ziegler, F. Beekman, P.A.M. Andriessen, L. Matenco, G. Bada, D. Garcia-Castellanos, N. Hardebol, P. Dèzes, et D. Sokoutis. 2005. Lithospheric memory, state of stress and rheology: neotectonic controls on Europe's intraplate continental topography. *Quaternary Science Reviews* 24, n°. 3 (Février): 241-304.

- doi:10.1016/j.quascirev.2004.06.015.
- Cocks, L.R.M., et T.H. Torsvik. 2006. European geography in a global context from the Vendian to the end of the Palaeozoic. Dans *European Lithosphere Dynamics*, éd. D. Gee et R.A. Stephenson, 83-95. Geological Society of London Memoirs 32.
- Cordier, S., M. Frechen, D. Harmand, et M. Beiner. 2005. Middle and Upper Pleistocene fluvial evolution of the Meurthe and Moselle valleys in the Paris Basin and the Rhenish Massif. *Quaternaire. Revue de l'Association française pour l'étude du Quaternaire*, n°. 16: 201-215.
- Dahlin, T. 2001. The development of DC resistivity imaging techniques. *Computers & Geosciences* 27, n°. 9: 1019-1029.
- Dahlin, T, C Bernstone, et M.H Loke. 2002. A 3-D resistivity investigation of a contaminated site at Lernacken, Sweden. *Geophysics* 67: 1692-1700.
- Davies, J. H., et D. R. Davies. 2010. Earth's surface heat flux. *Solid Earth* 1, n°. 1 (2): 5-24. doi:10.5194/se-1-5-2010.
- Dekorp Research Group. 1990. Results of deep-Seismic reflection investigations in the Rhenish Massif. *Tectonophysics* 173, n°. 1: 507-515. doi:10.1016/0040-1951(90)90242-Z.
- Demonet, D., F. Renardy, K. Vanneste, D. Jongmans, T. Camelbeeck, et M. Meghraoui. 2001. The use of geophysical prospecting for imaging active faults in the Roer graben, Belgium. *Geophysics* 66, n°. 1: 78-89.
- Demoulin, A. 1986. Un phénomène de capture dans les Hautes-Fagnes : la Hoëgne à Hockai. *Bulletin de la Société belge d'Etudes géographiques* 109: 481-487.
- . 1988. Cenozoic tectonics on the Hautes Fagnes plateau (Belgium). *Tectonophysics* 145, n°. 1: 31-41.
- . 1989. Quaternary tectonics in the northern Ardennes, Belgium. *Tectonophysics* 163, n°. 3: 315-321.
- . 1995. *L'Ardenne - Essai de géographie physique*. Département de Géographie Physique et Quaternaire. Université de Liège: A. Demoulin.
- . 2006. *La néotectonique de l'Ardenne-Eifel et des régions avoisinantes*. Mémoires de l'Académie Royale de Belgique Classe des Sciences, 25.
- Demoulin, A., et Collignon. 2002. Reply to comment by T. Camelbeeck et al. on "Nature of the recent vertical ground movements inferred from high-precision leveling data in an intraplate setting: NE Ardenne, Belgium". *Journal of Geophysical Research* 107, n°. 11. doi:10.1029/2002JB001837. <http://www.agu.org/journals/jb/jb0211/2002JB001837/0.shtml>.
- Demoulin, A., et E. Hallot. 2009. Shape and amount of the Quaternary uplift of the western Rhenish shield and the Ardennes (western Europe). *Tectonophysics* 474, n°. 3 (Septembre 10): 696-708. doi:10.1016/j.tecto.2009.05.015.
- Everaerts, M. 2000. L'interprétation structurale de la Manche au Rhin : apport du filtrage des champs de potentiel. Université Catholique de Louvain.
- Fäh, D., et D. Giardini. 2001. A theoretical investigation of average H/V ratios. *Geophys. J. Int.* 145: 535-549.
- Farr, T. G., et al. 2000. *The shuttle radar topography mission*. Citeseer.
- Field, E.H., et K. Jacob. 1993. The theoretical response of sedimentary layers to ambient seismic noise. *Geophys. Res. Lett.* 20-24: 2925-2928.
- Flueh, Ernst R., Dirk Klaeschen, et Rolf Meissner. 1990. Wide-angle vibroseis data from the western Rhenish Massif. *Tectonophysics* 173, n°. 1 (Février 20): 83-93. doi:10.1016/0040-1951(90)90206-N.
- Franke, W. 1992. Phanerozoic structures and events in central Europe. Dans *A Continent Revealed - The European Geotraverse*, éd. D.J. Blundell, R. Freeman, et S. Mueller, 164-179. Cambridge University Press.

- . 2000. The mid-European segment of the Variscides: tectonostratigraphic units, terrane boundaries and plate tectonic evolution. *Geological Society London Special Publications* 179: 35-61.
- Fuchs, K., K. von Gehlen, H. Mälzer, H. Murawski, et A. Semmel. 1983. *Plateau Uplift, the Rhenish Shield - a Case History*. Springer-Verlag. Berlin.
- Garcia-Castellanos, D., S. Cloetingh, et R. Van Balen. 2000. Modelling the Middle Pleistocene uplift in the Ardennes-Rhenish Massif: thermo-mechanical weakening under the Eifel? *Global and Planetary Change* 27, n°. 1: 39-52.
- Gasparini, P., F. Bernardini, G. Valensise, et E. Boschi. 1999. Defining Seismogenic Sources from Historical Earthquake Felt Reports. *Bulletin of the Seismological Society of America* 89, n°. 1: 94-110.
- Geukens, F. 1995. Strike slip deformation des deux côtés du Graben de Malmedy. *Ann Soc Geol Belg* 86: B589-598.
- . 1999. Carte Géologique du Massif de Stavelot. Bruxelles: Service Géologique de Belgique.
- Gibbard, P.L., et J. Lewin. 2009. River incision and terrace formation in the Late Cenozoic of Europe. *Tectonophysics* 474, n°. 1 (Septembre 1): 41-55. doi:10.1016/j.tecto.2008.11.017.
- Goes, S., J. J. P. Loohuis, M. J. R. Wortel, et R. Govers. 2000. The effect of plate stresses and shallow mantle temperatures on tectonics of northwestern Europe. *Global and Planetary Change* 27, n°. 1: 23-38.
- Griffiths, D.H., et J. Turnbull. 1985. A multi-electrode array for resistivity surveying. *First Break* 3, n°. 7: 16-20.
- Griffiths, D.H., J. Turnbull, et A.I. Olayinka. 1990. Two-dimensional resistivity mapping with computer controlled array. *First Break* 8: 121-129.
- Grünthal, G., et A. Levret, éd. 2001. *L'Echelle Macrosismique Européenne. European Macroseismic Scale 1998 (EMS-98)*. Cahiers du Centre Européen de Géodynamique et de Séismologie 19. Luxembourg: Centre Européen de Géodynamique et de Séismologie.
- Guillou-Frottier, Laurent, Evgenii Burov, Pierre Nehlig, et Robert Wyns. 2007. Deciphering plume-lithosphere interactions beneath Europe from topographic signatures. *Global and Planetary Change* 58, n°. 1 (Juillet): 119-140. doi:10.1016/j.gloplacha.2006.10.003.
- Hance, L., L. Dejonghe, P. Ghysel, M. Laloux, et J. L. Mansy. 1999. Influence of heterogeneous lithostructural layering on orogenic deformation in the Variscan Front Zone (eastern Belgium). *Tectonophysics* 309, n°. 1: 161-177.
- Illies, J. H., et Gerhard Greiner. 1979. Holocene movements and state of stress in the rhinegraben rift system. *Tectonophysics* 52, n°. 1 (Février 10): 349-359. doi:10.1016/0040-1951(79)90245-2.
- Illies, J. H., Claus Prodehl, Hans-Ulrich Schmincke, et Arno Semmel. 1979. The quaternary uplift of the rhenish shield in germany. *Tectonophysics* 61, n°. 1 (Décembre 30): 197-225. doi:10.1016/0040-1951(79)90298-1.
- Koulakov, Ivan. 2009. LOTOS Code for Local Earthquake Tomographic Inversion: Benchmarks for Testing Tomographic Algorithms. *Bulletin of the Seismological Society of America* 99, n°. 1: 194-214.
- Kurfeß, Daniel. 2008. Crustal uplift and subsidence due to the interaction between tectonic and surface processes – an integrated 3D numerical approach for spatial quantification. Universität Karlsruhe.
- Kurfeß, Daniel, et Oliver Heidebach. 2009. CASQUS: A new simulation tool for coupled 3D finite element modeling of tectonic and surface processes based on ABAQUS(TM) and CASCADE. *Computers & Geosciences* 35, n°. 10 (Octobre): 1959-1967.

- doi:10.1016/j.cageo.2008.10.019.
- Lecocq, T. 2006. Apports de la tomographie et de la cartographie de résistivité électrique à l'identification et à l'étude de failles actives en contexte extensif. Mémoire de Licence. ULB, Bruxelles.
- Lecocq, T., et K. Vanneste. 2009. How is the ERI affected by the removal of the data related to one electrode? *EOS, Transactions AGU Fall Meet. Suppl. Abstract* NS23A-1124. <http://adsabs.harvard.edu/abs/2009AGUFMNS23A1124L>.
- Lee, W. H. K., et J.C. Lahr. 1972. HYPO71: a computer program for determining hypocenter, magnitude, and first motion pattern of local earthquakes. file:\\C:\\PDF\\hypo71manual-1916220955\\hypo71manual.pdf.
- Lefort, J. P., et B. N. P. Agarwal. 2002. Topography of the Moho undulations in France from gravity data: their age and origin. *Tectonophysics* 350, n°. 3 (Juin 3): 193-213. doi:10.1016/S0040-1951(02)00114-2.
- Lin, Guoqing, et Peter Shearer. 2005. Tests of relative earthquake location techniques using synthetic data. *Journal of Geophysical Research* 110, n°. 04304: 14.
- . 2006. The COMPLOC Earthquake Location Package. *Seismological Research Letters* 77, n°. 4: 5.
- Loke, M H, et T Dahlin. 2002. A comparison of the Gauss-Newton and quasi-Newton methods in resistivity imaging inversion. *Journal of Applied Geophysics* 49: 149-162.
- Loke, M.H. 1997. *RES2DINV software user's manual*.
- . 2002. Rapid 3D Resistivity and IP inversion using the least-squares method. *Geoelectrical Imaging 2D & 3D*. Geotomo Software.
- Loke, M.H, et R.D Barker. 1995. Least-square deconvolution of apparent resistivity pseudosections. *Geophysics*, 61:621 (Errata) 60: 1682-1690.
- . 1996a. Practical techniques for 3D resistivity surveys and data inversion techniques. *Geophysical Prospecting* 44, n°. 3: 499-524.
- . 1996b. Rapid least-square inversion of apparent resistivity pseudosections by a quasi-Newton method. *Geophysical Prospecting* 44: 131-152.
- Lowrie, William. 2007. *Fundamentals of Geophysics, 2nd Edition*. Cambridge University Press.
- Mälzer, H., G. Schmitt, et K. Zippelt. 1979. Recent vertical movements and their determination in the Rhenish Massif. *Tectonophysics* 52, n°. 1 (Février 10): 167-176. doi:10.1016/0040-1951(79)90219-1.
- Maniatis, Georgios, Daniel Kurfeß, Andrea Hampel, et Oliver Heidbach. 2009. Slip acceleration on normal faults due to erosion and sedimentation -- Results from a new three-dimensional numerical model coupling tectonics and landscape evolution. *Earth and Planetary Science Letters* 284, n°. 3 (Juillet 15): 570-582. doi:10.1016/j.epsl.2009.05.024.
- Matte, P. 2001. The Variscan collage and orogeny (480-290 Ma) and the tectonic definition of the Armorica microplate: a review. *Terra Nova* 13: 122-128.
- Mechie, J., C Prodehl, et K Fuchs. 1983. The Long-Range Seismic Refraction Experiment in the Rhenish Massif. Dans *Plateau Uplift, the Rhenish Shield - a Case History*, 261-275. Springer-Verlag. Berlin: Fuchs, K., von Gehlen, K., Mälzer, H., Murawski, H. and Semmel, A., editors.
- Mechie, J., C. Prodehl, K. Fuchs, W. Kaminski, J. Flick, A. Hirn, J. Ansorge, et R. King. 1982. Progress report on rhenish massif seismic experiment. *Tectonophysics* 90, n°. 1 (Décembre 1): 215-230. doi:10.1016/0040-1951(82)90263-3.
- Meghraoui, M., T. Camelbeeck, K. Vanneste, M. Brondeel, et D. Jongmans. 2000. Active faulting and paleoseismology along the Bree Fault Zone, Lower Rhine Graben (Belgium). *Journal of Geophysical Research* 105, n°. 6: 13809-13841.
- Meyer, W., et J. Stets. 2002. Pleistocene to recent tectonics in the Rhenish Massif (Germany). *Netherlands Journal of Geosciences/Geologie en Mijnbouw* 81, n°. 2: 217-221.

- . 2007. Quaternary uplift in the Eifel area. *Mantle Plumes*: 369–378.
- Monteiro Santos, F. A., S. A. Sultan, P. Represas, et A. L. E. Sorady. 2006. Joint inversion of gravity and geoelectrical data for groundwater and structural investigation: application to the northwestern part of Sinai, Egypt. *Geophysical Journal International* 165, n° 3: 705-718. doi:10.1111/j.1365-246X.2006.02923.x.
- Munsell. 1975. *Munsell Soil Color Charts*. Ringbound. Munsell Color Corporation, Juin.
- Nakamura, Y. 1989. A method for dynamic characteristics estimations of subsurface using microtremors on the ground surface. *Q. Rep. RTRI Jpn.* 30: 25-33.
- . 2000. Clear identification of fundamental idea of Nakamura's technique and its application. *Proceedings of the XII World Conf. Earthq. Engrg., Auckland, New Zealand*: 8pp.
- Nocquet, J. M., E. Calais, et B. Parsons. 2005. Geodetic constraints on glacial isostatic adjustment in Europe. *Geophys. Res. Lett* 32, n° 10.
- Nogoshi, M., et T. Igarashi. 1970. On the propagation characteristics estimations of subsurface using microtremors on the ground surface. *J. Seismol. Soc. Jpn.* 23: 264-280.
- . 1971. On the amplitude characteristics of microtremor (Part 2). *J. Seismol. Soc. Jpn.* 24: 26-40.
- Oncescu, C., T. Camelbeeck, et H. Martin. 1994. Source Parameters for the Roermond aftershocks of 1992 April 13-May 2 and site spectra for P and S waves at the Belgian seismic network. *Geophysical Journal International* 116: 673-682.
- Paproth, E., R. Dreesen, et J. Thorez. 1986. Famennian paleogeography and event stratigraphy of north-western Europe. *Annales de la Société Géologique de Belgique*, n° 109: 175-186.
- Perrone, A., A. Iannuzzi, V. Lapenna, P. Lorenzo, S. Piscitelli, E. Rizzo, et F. Sdao. 2004. High-resolution electrical imaging of the Varco d'Izzo earthflow (southern Italy). *Journal of Applied Geophysics* 56, n° 1: 17-29.
- Petermans, T., T. Camelbeeck, P. Alexandre, D. Kusman, K. Verbeeck, K. Vanneste, et A. Demoulin. 2004. The 1692 September 18 earthquake in the Belgian Ardenne and its geologic context. Dans *Final Meeting of the SAFE European Project, 5-6 April 2004*, éd. M. Sébrier, UMR 7072 Tectonique:50-53. Paris: Université Pierre & Marie Curie.
- Peters, Gwendolyn, et Ronald T. van Balen. 2007. Tectonic geomorphology of the northern Upper Rhine Graben, Germany. *Global and Planetary Change* 58, n° 1 (Juillet): 310-334. doi:10.1016/j.gloplacha.2006.11.041.
- Peterson, Pearu. 2010. F2PY - Fortran to Python interface generator. <http://www.scipy.org/F2py>.
- Pissart, A. 1974. La Meuse en France et en Belgique. Formation du bassin hydrographique. Les terrasses et leur enseignements. Dans *L'évolution quaternaire des bassins fluviaux de la mer du nord méridionale. Centenaire de la société géologique de Belgique*, 105-131. Liège.
- Pissart, Albert, Dominique Harmand, et L. Krook. 1997. L'évolution de la Meuse de Toul à Maastricht depuis le Miocène : corrélations chronologiques et traces des captures de la Meuse lorraine d'après les minéraux denses. *Géographie physique et Quaternaire* 51, n° 3: 267-284.
- Pope, A. J. 1972. Fiducial Regions for Body Wave Focal Plane Solutions. *Geophysical Journal of the Royal Astronomical Society* 30, n° 3: 331-342. doi:10.1111/j.1365-246X.1972.tb05818.x.
- Quinif, Yves. 1999. Karst et évolution des rivières: le cas de l'Ardenne. *Geodinamica Acta* 12, n° 3: 267-277. doi:10.1016/S0985-3111(00)88665-9.
- von Raumer, J.F., G.M. Stampfli, et F. Bussy. 2003. Gondwana-derived microcontinents — the constituents of the Variscan and Alpine collisional orogens. *Tectonophysics* 265: 7-22.
- Reamer, Sharon K., et Klaus-G. Hinzen. 2004. An Earthquake Catalog for the Northern Rhine

- Area, Central Europe (1975-2002). *Seismological Research Letters* 75, n°. 6 (Novembre 1): 713-725. doi:10.1785/gssrl.75.6.713.
- Richards-Dinger, K. B., et Peter Shearer. 2000. Earthquake locations in southern California obtained using source-specific station terms. *Journal of Geophysical Research* 105, n°. 5: 22.
- Ritter, J. R.R. 2007. The seismic signature of the Eifel plume. Dans *Mantle Plumes*, 379-404. Springer.
- Ritter, Joachim R.R., Michael Jordan, Ulrich R. Christensen, et Ulrich Achauer. 2001. A mantle plume below the Eifel volcanic fields, Germany. *Earth and Planetary Science Letters* 186, n°. 1: 7-14. doi:10.1016/S0012-821X(01)00226-6.
- Rixhon, G., D. Bourlès, R. Braucher, L. Siame, B. Bovy, et A. Demoulin. 2010. Quaternary river incision in the uplifted Rhenish massif (Ardennes, Belgium) - Insights from $^{10}\text{Be}/^{26}\text{Al}$ dating of river terraces. *Geophysical Research Abstracts* 12, n°. 2010.
- Rosset, P., et T. Petermans. 2007. *Guidelines of used and developed tools for ambient noise analysis*. Technical Reports. Royal Observatory of Belgium. <http://seisweb.oma.be/bibadmin/uploads/pdf/Guidelines-Ambient%20Noise%20Analysis.pdf>.
- Sasaki, Y. 1994. 3-D resistivity inversion using the finite-element method. *Geophysics* 59: 1839-1848.
- Schaff, David P., Götz H. R. Bokelmann, William L. Ellsworth, Eva Zankerka, Felix Waldhauser, et Gregory C. Beroza. 2004. Optimizing Correlation Techniques for Improved Earthquake Location. *Bulletin of the Seismological Society of America* 94, n°. 2: 705-721.
- Schaff, David P., et Felix Waldhauser. 2005. Waveform Cross-Correlation-Based Differential Travel-Time Measurements at the Northern California Seismic Network. *Bulletin of the Seismological Society of America* 95, n°. 6: 2446-2461.
- Schlatter, Andreas, Dieter Schneider, Alain Geiger, et Hans-Gert Kahle. 2004. Recent vertical movements from precise levelling in the vicinity of the city of Basel, Switzerland. *International Journal of Earth Sciences* 94, n°. 4 (12): 507-514. doi:10.1007/s00531-004-0449-9.
- Scintrex. 2007. CG-5 Manual.
- Sichien, Els. 2009. A study of the structure of the Belgian crust by Moho determination and local seismic tomography. Universiteit Gent.
- Stampfli, G.M., J.F. von Raumer, et G.D. Borel. 2002. Paleozoic evolution of pre-Variscan terranes: From Gondwana to the Variscan collision. *GSA Special Papers* 364: 263-280.
- Steeple, D.W. 2001. Engineering and environmental geophysics at the millenium. *Geophysics* 66, n°. 1: 31-35.
- Sumanovac, F., et M. Weisser. 2001. Evaluation of resistivity and seismic methods for hydrogeological mapping in karst terrains. *Journal of Applied Geophysics* 47, n°. 1: 13-28.
- Theilen, Fr., et R. Meissner. 1979. A comparison of crustal and upper mantle features in fennoscandia and the rhenish shield, two areas of recent uplift. *Tectonophysics* 61, n°. 1 (Décembre 30): 227-242. doi:10.1016/0040-1951(79)90299-3.
- Torsvik, T.H., M.A. Smethurst, J.G. Meert, R. Van der Voo, W.S. McKerrow, M.D. Brasier, B.A. Sturt, et H.J. Walderhaug. 1996. Continental break-up and collision in the Neoproterozoic and Palaeozoic - A tale of Baltica and Laurentia. *Earth-Science Reviews* 40: 229-258.
- Tripp, A.C., G.W. Hohmann, et C.M. Swift. 1984. Two dimensional resistivity inversion. *Geophysics* 49: 1708-1717.
- Van Balen, R. T., R. F. Houtgast, F. M. Van der Wateren, et J. Vandenberghe. 2002.

- Neotectonic evolution and sediment budget of the Meuse catchment in the Ardennes and the Roer Valley Rift System. *Netherlands Journal of Geosciences/Geologie en Mijnbouw* 81, n°. 2: 211–215.
- Van Balen, R. T., R. F. Houtgast, F. M. Van der Wateren, J. Vandenberghe, et P. W. Bogaart. 2000. Sediment budget and tectonic evolution of the Meuse catchment in the Ardennes and the Roer Valley Rift System. *Global and Planetary Change* 27, n°. 1 (Décembre 31): 113-129. doi:10.1016/S0921-8181(01)00062-5.
- Van Camp, M., et T. Camelbeeck. 2004. Histoire des stations sismiques belges : de la station "Solvay" au réseau national de surveillance sismique. *Ciel et Terre* 120, n°. 6: 162-176.
- Van Camp, M., et P. Vauterin. 2005. Tsoft: graphical and interactive software for the analysis of time series and Earth tides. *Computers & Geosciences* 31, n°. 5 (Juin): 631-640. doi:10.1016/j.cageo.2004.11.015.
- Vanbrabant, Y., D. Jongmans, R. Hassani, et D. Bellino. 1999. An application of two-dimensional finite-element modelling for studying the deformation of the Variscan fold-and-thrust belt (Belgium). *Tectonophysics* 309, n°. 1: 141–159.
- Vandenven, G. 1977. Les Ardennes belges vues par satellite ERTS-1 (Landsat-1). *Bull. soc. Belg. Géol.* 86: 51-56.
- Vandycke, S. 2002. Paleostress records in Cretaceous formations in NW Europe : extensional and strike-slip events in relationships with Cretaceous-Tertiary. *Tectonophysics* 357: 119-136.
- Vanneste, K., K. Verbeeck, T. Camelbeeck, E. Paulissen, M. Meghraoui, F. Renardy, D. Jongmans, et M. Frechen. 2001. Surface-rupturing history of the Bree fault scarp, Roer Valley graben: Evidence for six events since the late Pleistocene. *Journal of Seismology* 5, n°. 3: 329–359.
- Waldhauser, F. 2001. HypoDD: a computer program to compute double-difference hypocenter locations. file:\\C:\\PDF\\waldhauser_2001-1776914718\\waldhauser_2001.pdf.
- Waldhauser, F., et W. L. Ellsworth. 2000. A Double-Difference Earthquake Location Algorithm: Method and Application to the Northern Hayward Fault, California. *Bulletin of the Seismological Society of America* 90, n°. 6: 1353-1368.
- Wallemacq, O. 2000. Études structurale et géophysique dans la vallée de la Hoëgne. Mémoire de Licence. Université de Liège.
- Walsh, B. 2000. Resampling Methods: Randomization Tests, Jackknife and Bootstrap. <http://nitro.biosci.arizona.edu/courses/EEB581-2006/handouts/random.pdf>.
- Walter, R. 2003. *Erdgeschichte – Die Entstehung der Kontinente und Ozeane*. Berlin: Walter de Gruyter.
- Westaway, R. 2001. Flow in the lower continental crust as a mechanism for the Quaternary uplift of the Rhenish Massif, north-west Europe. Dans *River Basin Sediment Systems - Archives of Environmental Change*. Taylor & Francis. <http://dx.doi.org/10.1201/9781439824672.ch4>.
- Westaway, R., D. Bridgland, et S. Mishra. 2003. Rheological differences between Archaean and younger crust can determine rates of Quaternary vertical motions revealed by fluvial geomorphology. *Terra Nova* 15, no. 5: 287-298. doi:10.1046/j.1365-3121.2003.00497.x.
- Westaway, R., D. Bridgland, R. Sinha, et T. Demir. 2009. Fluvial sequences as evidence for landscape and climatic evolution in the Late Cenozoic: A synthesis of data from IGCP 518. *Global and Planetary Change* 68, no. 4 (Septembre): 237-253. doi:10.1016/j.gloplacha.2009.02.009.
- Westaway, R., S. Cordier, et D. Bridgland. 2009. Étude du soulèvement Pléistocène dans le nord-est de la France et le sud-ouest de l'Allemagne d'après les terrasses du bassin

- de la Moselle : relation avec les propriétés crustales. *Quaternaire*, no. vol. 20/1. Les systèmes fluviatiles des bassins versants de la Moselle et du Rhin (France, Allemagne, Luxembourg) (Mars 1): 49-61.
- Westaway, R., D. Maddy, et D. Bridgland. 2002. Flow in the lower continental crust as a mechanism for the Quaternary uplift of south-east England: constraints from the Thames terrace record. *Quaternary Science Reviews* 21, n°. 4 (Février): 559-603. doi:10.1016/S0277-3791(01)00040-3.
- Westaway, Rob. 2010. Cenozoic uplift of southwest England. *Journal of Quaternary Science* 25, no. 4: 419-432. doi:10.1002/jqs.1394.
- Ziegler, P. A. 1990. Collision related intra-plate compression deformations in Western and Central Europe. *Journal of Geodynamics* 11, no. 4: 357-388. doi:10.1016/0264-3707(90)90017-O.
- . 1990b. Geological Atlas of Western and Central Europe. Dans *Shell Internationale Petroleum Maatschappij BV* (2nd ed.).
- Ziegler, Peter A. 1992. European Cenozoic rift system. *Tectonophysics* 208, no. 1-3 (Juillet 30): 91-111. doi:10.1016/0040-1951(92)90338-7.
- Ziegler, Peter A., et P. Dèzes. 2005. Evolution of the lithosphere in the area of the Rhine Rift System. *International Journal of Earth Sciences* 94, no. 4 (3): 594-614. doi:10.1007/s00531-005-0474-3.
- . 2007. Cenozoic uplift of Variscan Massifs in the Alpine foreland: Timing and controlling mechanisms. *Global and Planetary Change* 58, no. 1-4: 237-269. doi:10.1016/j.gloplacha.2006.12.004.