

---

# Contents

---

<b>Contents</b>	<b>i</b>
<b>Resumé de la thèse</b>	<b>v</b>
<b>Acknowledgments</b>	<b>vii</b>
<b>Introduction</b>	<b>ix</b>
<b>I Skyrme energy density functional theory</b>	<b>1</b>
<b>1 The Hartree-Fock approach</b>	<b>3</b>
1.1 The nuclear many-body problem: Slater determinants . . . . .	3
1.2 Selecting the best Slater Determinant: Hartree-Fock equations . . . . .	4
1.3 Single-particle states . . . . .	5
1.4 The Skyrme energy density functional . . . . .	6
1.5 Advantages and disadvantages of the density functional method . . . . .	9
1.6 Beyond-mean-field: Configuration mixing with the generator coordinate method . . . . .	10
<b>2 Symmetries</b>	<b>11</b>
2.1 Many-body symmetry conservation . . . . .	11
2.2 The single-particle group $D_{2h}^{TD}$ . . . . .	12
2.3 Many-body operators: $D_{2h}^T$ and $D_{2h}^{TD}$ . . . . .	14
2.4 Z-isospin symmetry: the silent bystander . . . . .	14
2.5 Generator sets: classifying subgroups of $D_{2h}^T$ and $D_{2h}^{TD}$ . . . . .	15
2.6 Possible combinations of conserved symmetries . . . . .	17
2.7 Symmetries of the single-particle wavefunctions . . . . .	19
2.8 Mean-field densities and mean-field potentials . . . . .	20
2.9 Breaking symmetries . . . . .	20
2.10 Symmetry restoration . . . . .	25
<b>3 Pairing</b>	<b>27</b>
3.1 The Hartree-Fock-Bogoliubov ansatz . . . . .	27
3.2 The EDF with pairing . . . . .	29
3.3 The HFB equations . . . . .	30
3.4 Gauge invariance: pairing as a broken symmetry . . . . .	31
3.5 Symmetry conservation . . . . .	32
3.6 The HF+BCS approximation . . . . .	33
3.7 Quasiparticle excitations . . . . .	34
3.8 The Thouless theorem . . . . .	35
3.9 The pairing interaction . . . . .	35
<b>II Numerical considerations</b>	<b>37</b>
<b>4 Numerical Implementation</b>	<b>39</b>
4.1 Coordinate space representation: The Lagrange mesh . . . . .	39
4.2 Symmetries in MOCCA . . . . .	41
4.3 Single-particle wavefunctions and their quantum numbers . . . . .	41
4.4 Optimizing the energy: steepest descent aka imaginary timestep . . . . .	43

4.5	Choosing the time-step $dt$ . . . . .	45
4.6	Comparing to the standard self-consistent scheme . . . . .	47
4.7	Computing the mean-field densities and potentials . . . . .	47
4.8	Judging convergence . . . . .	50
4.9	Points of possible improvement . . . . .	51
<b>5</b>	<b>Constraints</b> . . . . .	<b>59</b>
5.1	Lagrange multipliers . . . . .	59
5.2	Penalty function method . . . . .	61
5.3	Augmented Lagrangian method and readjusting quadratic constraints . . . . .	61
5.4	Predictor-corrector constraints . . . . .	63
5.5	Possible constraints in MOCCa . . . . .	65
5.6	Damping and cutoffs . . . . .	68
<b>6</b>	<b>Solving the pairing problem</b> . . . . .	<b>71</b>
6.1	The pairing subproblem . . . . .	71
6.2	Hartree-Fock . . . . .	71
6.3	BCS . . . . .	72
6.4	HFB . . . . .	74
6.5	Evading the Hartree-Fock solution . . . . .	78
6.6	Choosing the correct HFB vacuum . . . . .	81
6.7	Solving the HFB problem with the Thouless theorem . . . . .	87
6.8	Quasiparticle blocking . . . . .	88
6.9	Investigating the HFB configuration: eigenvalues of $\rho$ . . . . .	93
<b>7</b>	<b>Numerical Tests</b> . . . . .	<b>95</b>
7.1	Comparison with <i>ev8</i> , <i>cr8</i> and <i>ev4</i> : $^{64}\text{Ge}$ . . . . .	95
7.2	Internal Consistency . . . . .	99
7.3	Timing . . . . .	100
<b>8</b>	<b>Accuracy</b> . . . . .	<b>103</b>
<b>III Applications</b> . . . . .		<b>121</b>
<b>9</b>	<b>Shape transitions of the Radium isotopes</b> . . . . .	<b>123</b>
9.1	Details of the calculations . . . . .	123
9.2	Quadrupole deformation . . . . .	125
9.3	Octupole deformation . . . . .	126
9.4	Fission . . . . .	128
9.5	Rotational bands . . . . .	132
<b>10</b>	<b>Charge radii of Hg isotopes</b> . . . . .	<b>135</b>
10.1	Details of the calculations . . . . .	135
10.2	The less neutron-deficient Hg isotopes: from $A = 192$ up to $A = 208$ . . . . .	136
10.3	The more neutron-deficient Hg isotopes: from $A = 176$ up to $A = 191$ . . . . .	138
10.4	Comparing to the beyond-mean-field results . . . . .	140
10.5	Odd-even staggering: a more in-depth look at $^{181}\text{Hg}$ , $^{183}\text{Hg}$ and $^{185}\text{Hg}$ . . . . .	141
10.6	Conclusion . . . . .	144
<b>IV</b>	<b>A cup of MOCCa</b> . . . . .	<b>145</b>
<b>11</b>	<b>A cup of MOCCa: a users manual</b> . . . . .	<b>147</b>
11.1	Compilation . . . . .	147
11.2	Running MOCCa . . . . .	147
11.3	List of source code files . . . . .	161
<b>12</b>	<b>Conclusion</b> . . . . .	<b>163</b>

<b>V Appendices</b>	<b>165</b>
<b>A The Skyrme Functional in MOCCa</b>	<b>167</b>
A.1 The Skyrme part of the functional . . . . .	167
A.2 Isospin representation of the Skyrme energy density . . . . .	167
A.3 Coupling constants . . . . .	168
A.4 The single-particle Hamiltonian $\hat{h}$ . . . . .	168
A.5 Details of the numerical implementation . . . . .	170
A.6 Functionals included with the code . . . . .	171
<b>B Symmetry Operators</b>	<b>173</b>
B.1 Classification . . . . .	173
B.2 Eigenstates, invariants and normal pairs . . . . .	173
B.3 Simultaneous eigenstates . . . . .	174
<b>C Multipole moments</b>	<b>177</b>
C.1 Definition . . . . .	177
C.2 Quadrupole deformation . . . . .	178
C.3 Redundant multipole moments . . . . .	182
C.4 Consequences of the symmetries of MOCCa . . . . .	183
C.5 Redundant degrees of freedom in MOCCa . . . . .	184
<b>D An introduction to the conjugate gradients numerical algorithm</b>	<b>187</b>
D.1 Conjugate gradients for linear problems . . . . .	187
D.2 Conjugate gradient for the optimization of non-linear problems . . . . .	188
D.3 Conjugate gradients in MOCCa . . . . .	188
<b>E The conjugate gradient method to solve the Thouless-HFB equations</b>	<b>191</b>
E.1 The gradient method . . . . .	191
E.2 The conjugate gradient method . . . . .	192
<b>F Coulomb Solvers</b>	<b>195</b>
F.1 Red-black Gauss-Seidel . . . . .	196
F.2 Symmetric Overrelaxation . . . . .	196
<b>G A peculiar feature of the HFB equations</b>	<b>197</b>
<b>H Structure of the code</b>	<b>199</b>
<b>Bibliography</b>	<b>201</b>