

---

## Contents

---

<b>GENERAL INTRODUCTION AND OBJECTIVES</b>	<b>1</b>
<b>I Sounding the Earth's atmosphere using satellites</b>	<b>3</b>
<b>1 A FEW REMINDERS</b>	<b>5</b>
1.1 The Earth's atmosphere . . . . .	5
1.1.1 Vertical structure . . . . .	5
1.1.2 Chemical composition . . . . .	8
1.1.3 General circulation . . . . .	10
1.2 Pollution and planetary boundary layer . . . . .	15
1.2.1 Air pollution . . . . .	15
1.2.2 Planetary boundary layer . . . . .	18
1.3 Lifetime and its relationship with the atmospheric transport . . . . .	20
1.4 Sounding the atmosphere composition using satellites . . . . .	22
1.4.1 Active and passive soundings . . . . .	23
1.4.2 Observation geometries and orbits . . . . .	23
1.4.3 Sounding the PBL composition from satellites . . . . .	25
<b>2 RADIATIVE TRANSFER IN THE THERMAL INFRARED</b>	<b>27</b>
2.1 Reminders and definitions . . . . .	27
2.1.1 Flux, radiance and solid angle . . . . .	27
2.1.2 Blackbody radiation and emissivity . . . . .	28
2.1.3 Beer-Lambert's law and absorption coefficient . . . . .	30
2.1.4 Quantization of energy states and lines description . . . . .	31
2.2 The Schwarzschild equation . . . . .	38
2.3 Radiative transfer equation in the TIR . . . . .	40
2.3.1 Derivation . . . . .	40
2.3.2 Resolution . . . . .	41
2.4 Sensitivity and vertical information content of nadir TIR spectra . . . . .	43
2.4.1 Sensitivity vs information content . . . . .	43
2.4.2 Weighting functions . . . . .	44
2.4.3 Jacobians . . . . .	47
2.4.4 Sensitivity of TIR sounders to PBL composition . . . . .	49
2.4.5 Final remarks . . . . .	49

<b>3 INVERSE METHODS</b>	<b>51</b>
3.1 Optimal estimation method . . . . .	51
3.1.1 The under-constrained nature of the inverse problem . . . . .	51
3.1.2 The Bayesian approach . . . . .	52
3.1.3 Linear inverse problems . . . . .	54
3.1.4 Moderately non-linear inverse problems . . . . .	57
3.2 Simplified OEM . . . . .	58
3.3 Look-up-table approach . . . . .	59
<b>4 THE IASI INSTRUMENT AND ALGORITHMS</b>	<b>61</b>
4.1 The IASI instrument onboard MetOp . . . . .	61
4.1.1 Characteristics of IASI . . . . .	62
4.1.2 Measuring the atmospheric composition with IASI . . . . .	66
4.2 Retrieval algorithms used for IASI . . . . .	67
4.2.1 Atmosphit . . . . .	67
4.2.2 FORLI . . . . .	68
<b>II Measuring near-surface SO<sub>2</sub> with IASI - From local to global scales</b>	<b>71</b>
<b>5 INTRODUCTION</b>	<b>73</b>
5.1 Sounding SO <sub>2</sub> from space . . . . .	73
5.1.1 Volcanic SO <sub>2</sub> . . . . .	73
5.1.2 Anthropogenic SO <sub>2</sub> . . . . .	74
5.2 Objectives . . . . .	75
<b>6 LOCAL SCALE - THE INDUSTRIAL AREA OF NORILSK</b>	<b>77</b>
6.1 Sounding SO <sub>2</sub> in the Norilsk region with IASI . . . . .	77
6.2 Retrieval method and parameters . . . . .	79
6.2.1 The total error covariance matrix $S_{\epsilon}^{\text{tot}}$ . . . . .	80
6.2.2 Retrieval parameters . . . . .	81
6.3 Spatial distribution . . . . .	82
6.4 Time series . . . . .	82
6.5 Evaluation against other measurements or methods . . . . .	85
6.5.1 Comparison with the results of the Master thesis (OEM) . . . . .	85
6.5.2 Comparison with other measurements . . . . .	87
6.6 SO <sub>2</sub> emissions of Norilsk . . . . .	90
6.7 Estimation of the retrieval errors . . . . .	91
6.8 Final remarks . . . . .	93
<b>7 GLOBAL SCALE</b>	<b>95</b>
7.1 Near-surface SO <sub>2</sub> retrievals at global scale . . . . .	95
7.1.1 Retrieval of the altitude of the plume . . . . .	96
7.1.2 Retrieval of near-surface SO <sub>2</sub> concentrations . . . . .	97
7.1.3 Error characterisation . . . . .	103
7.2 Global distribution of near-surface SO <sub>2</sub> . . . . .	104
7.3 Time series: examples of China and Iran . . . . .	109
7.4 Morning-evening differences . . . . .	111
7.5 Product evaluation . . . . .	113
7.5.1 Comparison with OEM retrievals . . . . .	113

7.5.2 Comparison with OMI-derived SO <sub>2</sub> columns . . . . .	114
<b>8 SENSITIVITY OF IASI TO NEAR-SURFACE SO<sub>2</sub> - CONCLUSION</b>	<b>117</b>
8.1 When and where is near-surface SO <sub>2</sub> measurable by IASI? . . . . .	117
8.2 What are the geophysical conditions that favour the sounding of PBL SO <sub>2</sub> with IASI? . . . . .	122
<b>III Measuring near-surface CO with IASI - A history of decorrelation</b>	<b>123</b>
<b>9 INTRODUCTION</b>	<b>125</b>
9.1 Sounding near-surface CO with TIR sounders . . . . .	125
9.2 Objectives . . . . .	126
<b>10 THEORETICAL ANALYSES</b>	<b>127</b>
10.1 IASI sensitivity to near-surface CO: detection of PBL enhancements . . . . .	127
10.2 Theoretical characterisation of CO retrievals from IASI observations . . . . .	131
10.2.1 Reduction of prior uncertainty . . . . .	131
10.2.2 Near-surface sensitivity . . . . .	133
10.3 Geometric synergy: Solar occultation - nadir . . . . .	136
<b>11 RETRIEVALS</b>	<b>139</b>
11.1 Comparison with aircraft measurements at airports . . . . .	139
11.1.1 FORLI-CO evaluation for the near-surface layer . . . . .	139
11.1.2 Evaluation of CO retrievals at the surface from the synergy nadir-limb	142
11.2 Comparison with in-situ measurements: Mexico City test case . . . . .	144
11.2.1 Retrieval procedure . . . . .	144
11.2.2 Characterisation of the retrievals . . . . .	145
11.2.3 Comparison to RAMA ground measurements . . . . .	147
<b>12 SENSITIVITY OF IASI TO NEAR-SURFACE CO - CONCLUSION</b>	<b>151</b>
12.1 Which TC conditions favour the sounding of PBL CO with IASI? . . . . .	151
12.2 Concluding remarks . . . . .	152
<b>CONCLUSIONS AND PERSPECTIVES</b>	<b>153</b>
<b>Bibliography</b>	<b>158</b>
<b>Appendices</b>	<b>173</b>
<b>A RADIATIVE TRANSFER FOR A TWO-LEVEL SYSTEM</b>	<b>175</b>
A.1 Spectral radiant energy density function . . . . .	175
A.2 Einstein coefficients . . . . .	176
A.3 Radiative transfer for a two-level system . . . . .	178
<b>B SUMMARY OF THE MASTER THESIS RESULTS</b>	<b>181</b>
B.1 IASI sensitivity to surface SO <sub>2</sub> in Norilsk: forward simulation analyses . . . . .	181
B.2 Spatial distributions and time series . . . . .	183