

Contents

| | |
|---|------------|
| Declaration of Authorship | iii |
| Abstract | vii |
| Acknowledgements | ix |
| Introduction and main results | 1 |
| | |
| I Background material | 7 |
| | |
| 1 Rapidly rotating Kerr black holes | 9 |
| 1.1 Kerr black hole | 9 |
| 1.2 Extreme and near-extreme Kerr black hole | 12 |
| 1.3 Near-horizon extreme Kerr | 14 |
| 1.3.1 The NHEK space-time and its derivation | 15 |
| 1.3.2 The isometry group and critical phenomena | 17 |
| | |
| 2 Force-free electrodynamics | 21 |
| 2.1 Astrophysical motivations | 22 |
| 2.2 Equations of motion | 22 |
| 2.3 Degenerate electromagnetic fields | 24 |
| 2.3.1 Degeneracy and field sheets | 24 |
| 2.3.2 Lorentz invariants | 26 |
| 2.4 Euler potentials formulation | 27 |
| 2.4.1 Euler potentials with one symmetry | 28 |
| 2.4.2 Euler potentials with two commuting symmetries | 28 |
| 2.5 Stationary and axisymmetric force-free magnetospheres | 29 |
| 2.5.1 Force-free condition | 32 |
| 2.5.2 Energy and angular momentum extraction | 34 |
| 2.6 The Blandford-Znajek mechanism | 35 |
| 2.6.1 The Blandford-Znajek monopole solution | 35 |
| 2.6.2 The Blandford-Znajek energy extraction | 37 |

| | | |
|-----------|---|-----------|
| 3 | Thin accretion disc | 39 |
| 3.1 | Astrophysical motivations | 40 |
| 3.2 | Fundamental equations | 42 |
| 3.2.1 | Energy balance equation | 44 |
| 3.2.2 | Relativistic Navier-Stokes equations | 45 |
| 3.3 | The thin disc approximation | 46 |
| 3.3.1 | Rest-mass and mass-energy conservation | 47 |
| 3.3.2 | Angular momentum conservation | 49 |
| 3.3.3 | Radial equation | 50 |
| 3.3.4 | Vertical equilibrium equation | 51 |
| 3.4 | The Novikov-Thorne model | 52 |
| 3.4.1 | Energy balance equation | 53 |
| 3.4.2 | Conservation laws | 54 |
| 3.4.3 | Vertical equilibrium equation | 54 |
| 3.4.4 | Equation of state and energy transport law | 54 |
| 3.5 | Local solutions to the Novikov-Thorne model | 55 |
| 4 | Gravitational multipole moments | 59 |
| 4.1 | Astrophysical motivations | 59 |
| 4.2 | Regions around an isolated source | 61 |
| 4.3 | Harmonic gauge | 62 |
| 4.3.1 | Canonical harmonic gauge in General Relativity | 63 |
| 4.4 | Multipole moments | 65 |
| 4.4.1 | Source multipole moments | 65 |
| 4.4.2 | Radiative multipole moments | 67 |
| II | Original contributions | 69 |
| 5 | Near-horizon extreme Kerr magnetospheres | 71 |
| 5.1 | Introduction | 72 |
| 5.2 | Set-up of the problem | 73 |
| 5.3 | Canonical Euler potentials | 73 |
| 5.3.1 | Stationary and axisymmetric case | 73 |
| 5.3.2 | Stationary and ∂_ϕ -eigenvalue case | 75 |
| 5.4 | Maximally symmetric solutions | 78 |
| 5.5 | Highest weight classification of solutions | 80 |
| 5.5.1 | Solving the force-free condition | 80 |
| 5.5.2 | Nomenclature for the classification | 83 |
| 5.5.3 | Linear superposition | 84 |

| | | |
|----------|--|------------|
| 5.5.4 | List of all solutions | 85 |
| 5.6 | Physical requirements | 88 |
| 5.6.1 | Reality condition | 88 |
| 5.6.2 | List of near-horizon solutions | 88 |
| 5.6.3 | Finite energy and angular momentum fluxes | 90 |
| 5.6.4 | List of potentially physical solutions | 92 |
| 5.6.5 | Regularity conditions | 94 |
| 5.7 | Discussion and conclusions | 96 |
| 6 | Mass of Kerr-Newman black holes in an external magnetic field | 99 |
| 6.1 | Introduction | 100 |
| 6.2 | Black holes with external magnetic test fields | 102 |
| 6.2.1 | Wald's solution | 102 |
| 6.2.2 | Meissner-like effect for rotating black holes | 105 |
| 6.3 | Black holes with external magnetic back-reacting fields | 106 |
| 6.3.1 | Magnetised-Kerr-Newman black hole | 106 |
| 6.3.2 | Near-horizon geometry of the MKN black hole | 110 |
| 6.4 | Mass of Magnetised-Kerr-Newman black holes | 111 |
| 6.4.1 | Covariant phase space formalism | 112 |
| 6.4.2 | Computation of conserved charges | 113 |
| 6.5 | Thermodynamics of Magnetised-Kerr-Newman black holes | 117 |
| 6.5.1 | First law and Smarr formula for MKN black holes | 118 |
| 6.5.2 | Thermodynamic potentials of MKN black holes | 120 |
| 6.6 | Alternative thermodynamics: magnetic field as a source | 122 |
| 6.7 | Discussion and conclusions | 124 |
| 7 | Self-similar thin discs around near-extreme black holes | 127 |
| 7.1 | Introduction | 128 |
| 7.2 | Sonic-ISCO boundary condition | 129 |
| 7.3 | Features of the general solution | 132 |
| 7.3.1 | Gas-pressure-dominated ISCO | 132 |
| 7.3.2 | Radiation-pressure-dominated ISCO | 134 |
| 7.4 | Near-horizon near-extreme solution | 136 |
| 7.4.1 | Approaching the self-similar solution | 138 |
| 7.5 | Discussion and conclusions | 140 |
| 8 | Gravitational multipole moments from Noether charges | 143 |
| 8.1 | Introduction | 144 |
| 8.2 | Harmonic gauge and residual transformations | 145 |

| | | |
|------------------------------------|---|------------|
| 8.2.1 | Prelude on symmetries in gravity and gauge theories | 145 |
| 8.2.2 | Residual transformations of the harmonic gauge | 146 |
| 8.2.3 | Canonical harmonic gauge: revisited and extended | 150 |
| 8.3 | Multipole charges for stationary solutions | 153 |
| 8.3.1 | Mass multipole charges | 154 |
| 8.3.2 | Current multipole charges | 154 |
| 8.3.3 | Momentum multipole charges | 154 |
| 8.4 | Multipole charges for linearised radiating solutions | 155 |
| 8.4.1 | Conserved multipole charges at spatial infinity | 156 |
| 8.4.2 | Source multipole moments in the near-zone | 157 |
| 8.4.3 | Multipole charges at future null infinity | 159 |
| 8.4.4 | Conservation equation | 160 |
| 8.5 | Discussion and conclusions | 162 |
| Conclusions and outlook | | 165 |
| III Appendices | | 167 |
| A Differential forms | | 169 |
| B Kerr black hole | | 171 |
| B.1 | Line element | 171 |
| B.1.1 | Line element near and at the equatorial plane | 171 |
| B.2 | Circular equatorial geodesics | 173 |
| B.3 | Observer frames for circular equatorial geodesics | 174 |
| B.4 | LNRF tetrad | 175 |
| B.5 | General near-equatorial orbits | 175 |
| B.5.1 | Properties of the four-velocity profile in Eq. (B.22) | 177 |
| C Near-Horizon Extreme Kerr | | 179 |
| C.1 | Line element | 179 |
| C.2 | Coordinate systems | 180 |
| C.2.1 | Poincaré coordinates | 180 |
| C.2.2 | Global coordinates | 180 |
| C.2.3 | Black hole coordinates | 181 |
| C.3 | $SL(2, \mathbb{R})$ covariant basis | 181 |
| C.3.1 | Basis for 1-forms | 181 |
| C.3.2 | Basis for 2-forms | 182 |
| C.3.3 | Automorphism of the $SL(2, \mathbb{R}) \times U(1)$ algebra | 182 |

| | |
|---|------------|
| D Solutions to force-free electrodynamics in NHEK space-time | 183 |
| D.1 Relevant ordinary differential equations | 183 |
| D.2 Properties of all highest-weight solutions | 191 |
| E Spherical harmonics, multipole moments and surface charges | 201 |
| E.1 Notation and conventions | 201 |
| E.2 Spherical harmonics | 202 |
| E.2.1 Scalar spherical harmonics | 202 |
| E.2.2 Vector spherical harmonics | 203 |
| E.2.3 Tensor spherical harmonics | 205 |
| E.3 Proofs | 208 |
| E.3.1 The linearised radiating configuration (4.13) in terms of spherical harmonics | 208 |
| E.3.2 General residual transformations | 209 |
| E.4 Canonical surface charges | 211 |
| E.4.1 Coefficients of the surface charges | 213 |
| E.4.2 Multipole charges of a harmonic gauge perturbation | 213 |
| Bibliography | 217 |