

Contents

1. Introduction	1
2. Theoretical introduction and motivations	3
2.1. A phenomenological description of the standard model of particle physics	3
2.1.1. The standard model Lagrangian	4
2.1.2. The scalar sector	8
2.1.3. Scalar boson production and decay modes	9
2.2. Motivations to search for BSM physics	11
2.2.1. Neutrino masses	12
2.2.2. Dark matter and dark energy	12
2.2.3. Matter-antimatter asymmetry	13
2.2.4. The number of free parameters in the SM	13
2.2.5. The hierarchy problems	13
2.2.6. Coupling unification	14
2.3. The scalar sector and its extension in BSM models	14
2.3.1. Electroweak singlet model	14
2.3.2. A class of BSM models: the two-Higgs-doublet models	15
2.4. Searches for BSM physics and constraints on 2HDM	17
2.4.1. Current constraints on 2HDM	20
3. The CMS experiment at the LHC	23
3.1. The Large Hadron Collider	23
3.1.1. The proton production, the injector complex and the LHC	24
3.1.2. Luminosity and data-taking condition at the LHC in 2016	26
3.2. The CMS experiment	28
3.2.1. Overview of the CMS detector	28
3.2.2. The coordinate system	30

3.2.3.	The superconducting solenoid magnet	30
3.2.4.	The tracker	31
3.2.5.	The calorimeters	40
3.2.6.	The muon detectors	47
3.2.7.	The trigger system	54
4.	Event generation, simulation and reconstruction	57
4.1.	Introduction	57
4.2.	Event generation	58
4.2.1.	Hard-scattering process and parton distribution functions . . .	60
4.2.2.	Parton showering	61
4.2.3.	Hadronization	62
4.3.	Simulation of the detector	62
4.4.	Object reconstruction	63
4.4.1.	The particle-flow reconstruction	63
4.4.2.	Muon reconstruction	65
4.4.3.	Electron and photon reconstruction	67
4.4.4.	Jet reconstruction	72
4.4.5.	Missing transverse momentum reconstruction	77
4.4.6.	High-level object energy resolution summary	79
5.	Search for a heavy scalar boson in the $ZZ \rightarrow 2\ell 2\nu$ channel	85
5.1.	Foreword	85
5.2.	Signal simulation	86
5.2.1.	The MELA reweighting procedure	87
5.2.2.	Impact of interferences	88
5.3.	Trigger requirements	90
5.4.	Backgrounds	94
5.5.	Corrections to simulated samples	96
5.5.1.	Data-to-simulation scale factors	96
5.5.2.	Higher-order corrections to di-boson samples	98
5.6.	Analysis strategy	99
5.6.1.	Event selection	99
5.6.2.	Event categorization	101
5.6.3.	Choice of observable: the transverse mass	101
5.6.4.	Statistical analysis	101
5.7.	Data-to-simulation comparisons	103
5.8.	Data-driven estimations	104
5.8.1.	Z +jet background estimation	107
5.8.2.	Non-resonant background estimation	110

5.9. Uncertainties	113
5.9.1. Instrumental uncertainties	114
5.9.2. Theoretical uncertainties	115
5.10. Results	118
6. Data-driven estimation of the Z+jet background	127
6.1. Motivation	127
6.2. The data-driven method	128
6.3. Trigger requirement and event selection	129
6.4. Simulated samples for the photon control region	130
6.5. Photon control region	132
6.6. Reweighting procedure	133
6.7. Closure test	137
6.8. Data-driven estimation in the di-lepton region	137
6.8.1. Changes with respect to published analysis	138
6.8.2. Results and comparison with simulated samples in the di-lepton region	141
6.9. Uncertainties	141
6.9.1. Uncertainty from the reweighting procedure	142
6.9.2. Statistical uncertainties	142
6.9.3. Systematic uncertainties	144
6.10. Conclusion	149
7. Conclusion	151
Bibliography	155
A. Notions of statistics	167
A.1. Statistics and the likelihood at the LHC	167
A.2. Introducing uncertainties in the likelihood	168
A.3. Maximum likelihood estimation and nuisance parameter impacts . . .	170
B. Additional plots	173