

# Contents

<b>Foreword</b>	<b>10</b>
<b>1 Introduction</b>	<b>13</b>
1.1 The synthesis of proteins . . . . .	13
1.2 MicroRNAs . . . . .	14
1.3 Interactions between microRNAs and transcription factors . . . . .	17
1.4 Secreted microRNAs . . . . .	19
1.5 MicroRNAs in biological rhythms . . . . .	21
1.6 Epithelial-to-mesenchymal transition . . . . .	22
1.7 Spatial spreading of invading cells . . . . .	23
1.8 Objectives . . . . .	25
<b>I Circulating microRNAs</b>	<b>26</b>
<b>2 Minimal model for extracellular microRNA propagation</b>	<b>27</b>
2.1 Model formulation . . . . .	28
2.1.1 Description of the system and governing equations . . . . .	28
2.1.2 Estimation of the parameter values of the model . . . . .	30
2.1.3 Temporal dynamics in a homogeneous system . . . . .	32
2.2 Range of action of the donor cell . . . . .	34
2.2.1 Steady concentration gradients and inhomogeneous cellular re- sponse . . . . .	35
2.2.2 Analytical expression for the range of action for large systems	37
2.2.3 What controls the range of action? . . . . .	38
2.2.4 Two-dimensional cell tissue . . . . .	42
2.3 Protein expression in a tissue with a heterogeneous cell population .	45
2.4 Conclusions and outlooks . . . . .	49

<b>3</b>	<b>Secreted microRNAs modulating gene expression oscillations</b>	<b>52</b>
3.1	Self-inhibiting microRNA . . . . .	54
3.1.1	Governing equations . . . . .	54
3.1.2	Temporal dynamics emerging from the microRNA-embedded negative feedback loop . . . . .	57
3.2	Propagation of gene expression oscillations . . . . .	60
3.2.1	MicroRNA-induced sustained oscillations in recipient cells . .	61
3.2.2	Controlling the amplitude of gene expression oscillations in the tissue . . . . .	63
3.3	Synchronizing gene expression oscillations via circulating micro-RNAs	67
3.4	Perturbing synchronized gene expression oscillations . . . . .	75
3.5	Conclusions . . . . .	83
<b>4</b>	<b>Phenotype switch propagation with two antagonistic microRNAs</b>	<b>85</b>
4.1	Model formulation . . . . .	87
4.1.1	Cell transformation involving two mutually-inhibiting miRNAs	87
4.1.2	Governing equations . . . . .	87
4.2	Bistable front propagation in one-dimensional systems . . . . .	90
4.3	Formation of stationary patterns in two-dimensional systems . . . .	95
4.4	Exosomal transport model . . . . .	100
4.5	Conclusions . . . . .	105
	<b>Limits and outlooks</b>	<b>109</b>
<b>II</b>	<b>Protein-dependent cellular processes</b>	<b>111</b>
<b>5</b>	<b>Multiscale model connecting gene expression to cell movements</b>	<b>112</b>
5.1	Protein-dependent cellular processes . . . . .	113
5.1.1	Cell migration . . . . .	114
5.1.2	Cell proliferation . . . . .	114
5.2	The stochastic approach . . . . .	115
5.2.1	Probabilities and their evolution . . . . .	115
5.2.2	Microscopic rules for discrete cellular processes . . . . .	117
5.2.3	The transition probabilities . . . . .	117
5.2.4	Monte Carlo simulations with the Gillespie algorithm . . . . .	121
5.3	The mean-field model . . . . .	125

---

<b>6 E-cadherin and wound-healing cell migration assay</b>	<b>131</b>
6.1 Model formulation . . . . .	133
6.1.1 Governing equations . . . . .	133
6.1.2 E-cadherin-dependent hopping frequency . . . . .	135
6.1.3 Continuous-space limit . . . . .	138
6.1.4 Proliferation induced front propagation . . . . .	140
6.2 Wound-healing experiments . . . . .	142
6.2.1 Estimation of the parameter values of the model . . . . .	142
6.2.2 Controlling wound-healing . . . . .	149
6.2.3 E-cadherin and cell proliferation . . . . .	151
6.3 Conclusions . . . . .	153
<b>7 General conclusions</b>	<b>155</b>
<b>Bibliography</b>	<b>160</b>