



Involvement of High Mobility Group Box 1 protein in acetaminophen-induced liver injury : dissection of signaling pathways and potential therapeutic targeting.

**Thesis submitted by Charlotte MINSART
in fulfilment of the requirements of the PhD Degree in “Docteur en Sciences
Biomédicales et Pharmaceutiques”
Academic year 2020-2021**

Supervisor: Pr Thierry Gustot

Co-supervisor: Pr Jacques Devière

Laboratoire de Gastro-entérologie Expérimentale

Thesis jury:

Pr Alain LE MOINE (President)
Pr Thierry GUSTOT (Supervisor and Secretary)
Pr Jacques DEVIERE (Co-supervisor)
Pr Véronique FLAMAND
Pr Philippe GOYENS
Pr Jean-Yves SPRINGAEL

Pr Nicolas LANTHIER (Université Catholique de Louvain)
Pr Abdellah MANSOURI (Université Paris Diderot)



Table of contents

Abbreviations	9
General Introduction	11
1. Acetaminophen	12
1.1 Acetaminophen : history	12
1.2 Acetaminophen: first overdose reports	13
1.3 Acetaminophen overdose : Epidemiology	14
1.4 Acetaminophen-induced hepatotoxicity	16
1.4.1 APAP-adducts	17
1.4.2 Mitochondrial dysfunction	18
1.4.3 Hepatocyte death	19
1.4.4 Inflammatory response	22
1.4.5 Damage-Associated Molecular Pattern's (DAMPs)	24
1.4.5.1 DAMPs and inflammasome activation	26
1.4.5.2 DAMPs and inflammatory response	25
1.5 Treatments and limitations	28
2. High Mobility Group Box 1 protein	30
2.1 Discovery	30
2.2 Properties	30
2.3 Structure	31
2.4 Nuclear functions	32
2.5 Post-translational modifications	33
2.6 Extracellular functions	34
2.7 HMGB1 as inflammatory DAMP	36
2.7.1 Receptors mediating HMGB1 activity	37
2.7.2 Redox state and cytokine activity of HMGB1	39
3. Role of HMGB1 in acetaminophen hepatotoxicity	41
3.1 HMGB1 and liver injury	41
3.1.1 HMGB1 as biomarker of APAP-induced liver injury	41
3.1.2 HMGB1 inhibitors	41
3.1.3 HMGB1 and inflammasome	42
3.2 HMGB1 and liver repair	43
4. Aims of the project	44
Results	45
1. Role of HMGB1 in a murine model of APAP-induced liver injury	46
1.1 Introduction	46
1.2 Materials and methods	47
1.3 Results	51
1.3.1 Murine model of APAP-induced liver injury	51

1.3.2 Inflammatory cytokines and APAP-induced liver injury-----	51
1.3.3 Release of HMGB1 during APAP-induced liver injury -----	52
1.3.4 Glycyrrhizin protects mice against APAP hepatotoxicity -----	53
1.3.5 Hepatic expression of HMGB1 receptors during APAP-induced liver injury -----	55
1.3.6 APAP-induced liver injury is exacerbated in absence of Kupffer cells-----	56
1.3.7 Absence of neutrophil recruitment during APAP-induced liver injury -----	58
1.3.8 APAP-induced liver injury is exacerbated in TLR4-deficient mice -----	59
1.4 Key findings-----	61
2. HMGB1-driven feed-forward hepatocyte TLR4/TRIF/RIPK3-dependent necrosis circuit in acetaminophen-induced liver injury -----	63
2.1 Introduction-----	63
2.2 Materials and methods-----	64
2.3 Results -----	68
2.3.1 HMGB1 is released by APAP-damaged hepatocytes -----	68
2.3.2 HMGB1 amplifies by itself APAP-induced hepatocyte death-----	69
2.3.3 HMGB1 and APAP induce hepatocytes necroptosis by RIPK3-dependent pathway -----	73
2.3.4 Implication of proteins mediated necroptosis signaling downstream of RIPK3-----	78
2.3.6 Contribution of the TLR3/4 adaptor TRIF to APAP-induced hepatocyte injury -----	83
2.3.7 HepaRG cells and HMGB1 receptors-----	84
2.3.8 TLR4 blockade protects HepaRG cell death induced by rhHMGB1 and APAP-----	85
2.3.9 CYP3A4 and CYP2E1 activity were not influenced by drugs used in our experiments -----	86
2.4 Key findings-----	88
3. Combination of glycyrrhizin and N-acetylcysteine: benefit outcome in a murine model of acetaminophen-induced liver failure-----	90
3.1 Introduction-----	90
3.2 Materials and Methods-----	91
3.3 Results -----	94
3.3.1 Administration of GL, at the same time as APAP, reduces the severity of liver injury-----	94
3.3.2 Administration of NAC/GL combination, at the same time as APAP, reduces the severity of liver injury as well as GL or NAC alone-----	95
3.3.3 Delayed administration of NAC/GL combination reduces APAP-induced hepatocytes necrosis compared to GL or NAC alone -----	98
3.3.4 Delayed administration of NAC/GL combination increases mice survival following APAP-induced liver injury compared to GL or NAC alone-----	101
3.3.5 Protective effects of the NAC/GL combination do not result from inhibition of hepatic expression of CYP2E1 -----	102
3.3.6 Protective effects of the NAC/GL combination are not gender-dependent -----	103
3.4 Key Findings-----	105
Discussion-----	106
1. Role of HMGB1 in a murine model of APAP-induced liver injury -----	107
2. HMGB1-driven feed-forward hepatocyte TLR4/TRIF/RIPK3 -dependent necrosis circuit in acetaminophen-induced liver injury -----	109
3. Combination of glycyrrhizin and N-acetylcysteine: benefit outcome in a murine model of acetaminophen-induced liver failure-----	111

General conclusion	113
Perspectives	115
1.HMGB1 silencing	116
2. HMGB1 and post-translational states	118
3. HMGB1 likes company	120
4. TLR4: deleterious or protective role?	121
References	122
Appendix	143
Annex A: List and sequences of primers used for PCR analysis	144
Annex B: Criteria used for evaluation of necrosis score	146
Annex C: List of publications	147
1. Publications related to this thesis	147
1.1 Peer-reviewed journal articles	147
1.2 Peer-reviewed conference abstracts	147
2. Publications unrelated to this thesis	148
Peer-reviewed journal articles	148