

Table of Contents

Nomenclature	xiii
1 Introduction	1-1
1.1 Atmospheric entry	1-1
1.1.1 The problem of aerodynamic heating	1-4
1.2 Boundary-layer transition in high-speed flow	1-7
1.2.1 The role of isolated roughness elements on boundary-layer transition	1-10
1.2.2 High-enthalpy effects on boundary-layer transition	1-15
1.3 Thesis scope and structure	1-16
References	1-19
2 Governing equations	2-1
2.1 Thermodynamic flow assumptions	2-1
2.1.1 Calorically perfect gas (CPG)	2-2
2.1.2 Thermally perfect gas (TPG)	2-3
2.1.3 Mixture of perfect gases in chemical non-equilibrium (CNE)	2-4
2.2 Navier-Stokes equations	2-4
2.2.1 Calorically perfect gas	2-5
2.2.1.1 Non-dimensional form	2-6
2.2.2 Thermally perfect gas	2-9
2.2.3 Mixture in chemical non-equilibrium	2-9
2.3 Boundary conditions	2-10
2.3.1 Wall boundary conditions	2-11
2.3.2 Inflow boundary conditions	2-11
2.3.3 Outflow boundary conditions	2-12
2.3.4 Symmetry boundary conditions	2-12
2.4 Boundary-layer equations	2-13
2.4.1 Calorically and thermally perfect gas	2-13
2.4.1.1 Self-similar solution for a flat plate	2-14
2.4.2 Mixture in chemical non-equilibrium	2-16
2.5 Modeling of gas properties	2-17
2.5.1 Thermal properties	2-17
2.5.2 Transport properties	2-18
2.5.2.1 Sutherland's law	2-18

2.5.2.2	Gupta-Wilke model	2-20
2.5.2.3	Constant Schmidt number diffusion model	2-21
2.5.3	Chemical properties	2-22
2.5.3.1	Law of mass action	2-23
2.5.3.2	Calculation of the equilibrium constant	2-23
	References	2-25
3	Hydrodynamic stability	3-1
3.1	Linearized perturbation equations	3-2
3.2	Treatment of the perturbations of the dependent quantities	3-2
3.3	Fourier transformation of the perturbation quantities	3-3
3.4	Local linear stability theory	3-6
3.4.1	Parallel flow assumption	3-6
3.4.2	Temporal stability framework	3-7
3.4.3	Spatial stability framework	3-7
3.4.4	Approximate relation between temporal and spatial growth rates	3-9
3.5	Non-local linear stability theory: parabolized stability equations .	3-10
3.5.1	Definition of growth rate	3-12
3.6	Extensions for base flows with additional inhomogeneous directions	3-12
3.6.1	Two-dimensional local linear stability theory	3-13
3.6.1.1	Parallel flow assumption revisited	3-14
3.6.2	Streamwise BiGlobal stability theory	3-15
3.6.3	Three-dimensional parabolized stability equations	3-16
3.6.4	TriGlobal stability theory	3-17
3.7	The e^N method for transition prediction	3-18
3.8	Accounting for non-linearities	3-19
3.9	Boundary conditions for the perturbation quantities	3-20
3.9.1	Wall boundary	3-20
3.9.2	Wall-normal far-field boundary	3-22
3.9.3	Periodic spanwise boundaries	3-23
3.9.4	Symmetric spanwise boundaries	3-23
3.10	Disturbance energy evolution equation for a calorically perfect gas	3-24
3.10.1	The disturbance energy definition of Chu	3-25
3.10.1.1	Chu's disturbance energy evolution equation for base flows depending on y and z	3-26
3.10.1.2	Chu's total disturbance energy definition in terms of \tilde{p} and \tilde{s}	3-30
3.10.2	Decomposition of the temporal growth rate for two-dimensional local linear stability theory	3-30
3.11	Convective and absolute instabilities	3-35
3.12	Non-modal growth	3-36
3.12.1	Formulation according to the 2D-LST initial value problem	3-37
3.13	Pseudospectra	3-41
3.14	Data-driven analysis of flow instabilities	3-41

3.15 Modal instabilities evolving in a smooth flat-plate boundary layer at high speed	3-43
3.15.1 Topology of first- and second-mode instabilities in the 2D-LST spectrum	3-44
References	3-47
4 Numerical methodology	4-1
4.1 Base-flow computation	4-1
4.1.1 Solution of the boundary-layer equations	4-2
4.1.2 The DEKAF flow solver	4-2
4.1.3 Solution of the Navier-Stokes equations	4-3
4.1.3.1 The Navier-Stokes solver in CFD++®	4-3
4.1.3.2 Grid generation	4-4
4.2 Stability analysis	4-5
4.2.1 Spatial discretization techniques	4-5
4.2.1.1 Chebyshev collocation method	4-6
4.2.1.2 High-order finite difference method by Hermanns & Hernández [19]	4-9
4.2.2 Mapping techniques	4-12
4.2.2.1 Mapping proposed by Malik [28]	4-12
4.2.2.2 Biquadratic mapping	4-13
4.2.2.3 Transformation of the differentiation matrices to the physical domain	4-14
4.2.2.4 Interpolation of base-flow quantities on the mapped collocation grid	4-15
4.2.3 Integration techniques	4-16
4.2.3.1 Integration by means of Chebyshev integral weight functions	4-16
4.2.3.2 Integration using the inverse of part of the differentiation matrices	4-17
4.2.4 Calculation of base-flow derivatives	4-18
4.2.5 Numerical implementation of boundary conditions for the perturbation quantities	4-22
4.2.5.1 Homogeneous Dirichlet conditions	4-23
4.2.5.2 Homogeneous Neumann conditions	4-23
4.2.5.3 Periodic conditions	4-24
4.2.5.4 Compatibility conditions	4-24
4.2.5.5 Treatment at domain corners	4-25
4.2.6 Algorithms for the solution of the generalized eigenvalue problem	4-25
4.2.6.1 QZ algorithm	4-25
4.2.6.2 Implicitly restarted Arnoldi method	4-26
4.2.7 Algorithms to compute the evolution of a single eigenvalue/eigenvector pair	4-29
4.2.7.1 Newton-Raphson iteration	4-30

4.2.7.2	Generalized Rayleigh quotient iteration	4-30
4.3	VESTA toolkit	4-32
4.3.1	Automatic derivation and implementation tool (ADIT) . . .	4-32
4.3.2	The 2D-LST/BiGlobal solver	4-34
	References	4-36
5	Stability analysis of the wake behind an isolated roughness element in a calorically perfect gas	5-1
5.1	Problem description	5-1
5.1.1	Roughness geometries	5-3
5.2	Instabilities induced by a cuboidal roughness element at a fixed streamwise location and frequency	5-3
5.2.1	Geometrical parameters and definition of different test cases	5-4
5.2.2	Computational grid employed for the base flow calculations	5-9
5.2.3	Base-flow solutions	5-10
5.2.4	Spatial stability spectrum	5-15
5.2.4.1	Effect of the self-similar boundary-layer assumption at the domain inflow	5-22
5.2.4.2	Effect of the flat plate leading-edge bluntness . .	5-23
5.2.4.3	Effect of the thermal wall boundary condition .	5-23
5.3	Streamwise evolution of the instabilities induced by a cuboidal and a ramp-shaped roughness element	5-27
5.3.1	Geometrical parameters and case definition	5-27
5.3.2	Computational grids	5-28
5.3.3	Base-flow solutions	5-29
5.3.4	Temporal stability spectrum	5-36
5.3.4.1	Convergence of the growth rate with respect to grid resolution	5-44
5.3.4.2	Effect of the domain size on the stability spectrum	5-46
5.3.5	Streamwise evolution of the growth rate of the instabilities evolving in the roughness wake	5-47
5.3.5.1	Evolution of Mack-mode instabilities modulated by the roughness wake	5-47
5.3.5.2	Evolution of the leading sinuous and varicose instabilities	5-49
5.3.5.3	Integrated amplification factors of the wake instabilities obtained by means of the Gaster transformation	5-53
5.3.6	Temporal growth-rate decomposition of the instabilities behind the roughness elements	5-57
5.3.6.1	Streamwise evolution of the temporal growth-rate decomposition	5-67
5.3.7	Synchronism between wake instabilities and boundary-layer modes	5-76
5.4	Summary of results	5-81

References	5-84
6 Influence of vibrational excitation and chemical non-equilibrium on the roughness wake instability	6-1
6.1 Problem description and methodology	6-1
6.2 Stability analysis of the smooth wedge configuration	6-7
6.2.1 Effect of the boundary-layer assumption	6-8
6.3 Verification of the 2D-LST solver for TPG and CNE in the smooth-wedge configuration	6-9
6.4 Stability analysis in the roughness wake	6-10
6.4.1 Description of the base flow	6-10
6.4.2 Results of the 2D-LST computations	6-14
6.4.3 Effect of inconsistent modeling assumptions between the base flow and the perturbations on the roughness wake instabilities	6-18
6.5 Summary of results	6-21
References	6-24
7 Conclusions	7-1
7.1 Outlook	7-6
References	7-9
A Linearized perturbation equations for a calorically perfect gas	A-1
B Two-dimensional local linear stability theory (2D-LST) equations for a calorically perfect gas	B-1
B.1 2D-LST equations in terms of ρ and T	B-1
B.2 2D-LST equations in terms of p and T	B-3
C One-dimensional local linear stability theory (LST) equations for a calorically perfect gas	C-1
C.1 LST equations in terms of ρ and T	C-1
C.2 LST equations in terms of p and T	C-3
D Guidelines for the derivation of the disturbance energy evolution equation for 2D-LST	D-1
D.1 Linearized entropy perturbation for a calorically perfect gas	D-1
D.2 Derivation of the 2D-LST disturbance energy equation	D-2
D.2.1 Disturbance viscous stresses	D-6
D.2.2 Disturbance thermal conduction	D-9
D.2.3 Flux terms due to the variation of viscosity with temperature	D-10
D.2.4 Disturbance heat source	D-10
D.2.5 Convective derivative of the total disturbance energy	D-10
D.2.6 Base-flow pressure work	D-11
D.2.7 Disturbance entropy	D-11
D.2.8 Remaining terms	D-12

References	D-13
E Disturbance energy evolution equation for LST	E-1
F Verification of VESTA's CPG 2D-LST solver against DLR's solver	F-1
F.1 Case description	F-1
F.2 Comparison of 2D-LST results	F-2
References	F-2
G Accuracy of the temporal growth-rate decomposition	G-1
G.1 Accuracy for a smooth flat-plate boundary layer	G-1
G.1.1 One-dimensional local linear stability theory	G-1
G.1.2 Two-dimensional local linear stability theory	G-3
G.2 Accuracy in the roughness wake	G-6
References	G-8
H Transient-growth analysis of a compressible boundary layer using 2D-LST	H-1
H.1 Verification of the transient-growth solver in a compressible boundary layer using LST	H-1
H.2 Transient growth in a compressible boundary layer using 2D-LST	H-2
H.2.1 Case 1: $Re = 3000, \alpha = 0.06$	H-3
H.2.2 Case 2: $Re = 300, \alpha = 0$	H-5
H.3 Recommendations for the study of non-modal growth in the wake behind an isolated roughness element in high-speed flow	H-7
References	H-8
I List of publications	I-1
I.1 Journal papers	I-1
I.2 Peer-reviewed conference proceedings	I-1
I.3 Non peer-reviewed conference proceedings	I-2