

# Table of Contents

<b>1</b>	<b>Preamble and objectives</b>	<b>1</b>
<b>2</b>	<b>State of the art</b>	<b>5</b>
2.1	The global CH <sub>4</sub> atmospheric budget . . . . .	7
2.1.1	Sources . . . . .	10
2.1.1.1	Types of CH <sub>4</sub> emissions . . . . .	10
2.1.1.2	Regional patterns in CH <sub>4</sub> emissions . . . . .	11
2.1.2	Sinks . . . . .	11
2.1.3	Recent CH <sub>4</sub> growth challenges the Paris agreement targets . . . . .	13
2.2	Oceanic CH <sub>4</sub> biogeochemistry . . . . .	15
2.2.1	Overview of oceanic CH <sub>4</sub> distribution . . . . .	15
2.2.1.1	Typical water column profiles . . . . .	15
2.2.1.2	Typical sediment profiles . . . . .	15
2.2.1.3	Spatial distribution in surface waters . . . . .	15
2.2.1.4	Ocean-atmosphere flux . . . . .	17
2.2.1.5	Existing challenges in dissolved CH <sub>4</sub> measurements . . . . .	19
2.2.2	Anaerobic CH <sub>4</sub> sources . . . . .	20
2.2.2.1	Methanogenesis . . . . .	20
2.2.2.2	Thermogenic degradation of organic matter . . . . .	20
2.2.2.3	Hydrothermalism . . . . .	21
2.2.3	The “marine CH <sub>4</sub> paradox” . . . . .	22
2.2.3.1	Methanogenesis in anaerobic micro-environments . . . . .	22
2.2.3.2	Aerobic microbial production . . . . .	22
2.2.3.3	Aerobic phytoplankton production . . . . .	23
2.2.4	Oceanic CH <sub>4</sub> sinks . . . . .	23
2.2.4.1	Anaerobic CH <sub>4</sub> oxidation . . . . .	23
2.2.4.2	Aerobic CH <sub>4</sub> oxidation . . . . .	24
2.2.5	CH <sub>4</sub> stored in hydrates . . . . .	24
2.3	The role of sea ice in the biogeochemical cycle of CH <sub>4</sub> . . . . .	26

2.3.1	Sea-ice physico-chemical properties . . . . .	26
2.3.1.1	Sea-ice crystalline structure . . . . .	26
2.3.1.2	Sea-ice formation and growth . . . . .	27
2.3.1.3	Initial salt incorporation and desalination . . . . .	28
2.3.1.4	Gases in sea ice . . . . .	31
2.3.2	CH <sub>4</sub> in sea ice . . . . .	33
2.3.2.1	CH <sub>4</sub> storage and release in sea ice . . . . .	33
2.3.2.2	Existing CH <sub>4</sub> measurements in sea-ice influenced environments	34
2.4	The use of stable isotopes in biogeochemistry . . . . .	36
2.4.1	Theoretical principles . . . . .	36
2.4.1.1	Stable isotopes fundamentals . . . . .	36
2.4.1.2	Stable isotope fractionation . . . . .	37
2.4.2	CH <sub>4</sub> stable isotope analysis in ice: experimental principles . . . . .	40
2.4.2.1	Dry extraction . . . . .	40
2.4.2.2	CH <sub>4</sub> analysis system . . . . .	40
<b>3</b>	<b>Dissolved methane measurements: testing an underway method</b>	<b>43</b>
3.1	Introduction . . . . .	45
3.2	Material and methods . . . . .	45
3.2.1	HydroC CH <sub>4</sub> sensor . . . . .	45
3.2.2	Liqui-Cel+LGR sensor . . . . .	47
3.2.3	Discrete measurements . . . . .	47
3.2.4	Experimental set-up . . . . .	47
3.2.4.1	In natural environments . . . . .	47
3.2.4.2	In a controlled environment . . . . .	47
3.3	Results . . . . .	50
3.3.1	In natural environments . . . . .	50
3.3.1.1	The Scheldt estuary . . . . .	50
3.3.1.2	The Wadden Sea . . . . .	50
3.3.1.3	The Barents Sea . . . . .	50
3.3.1.4	The Ross Sea . . . . .	51
3.3.2	In a controlled environment . . . . .	53
3.3.3	Experiment 1 (E1R1 and E1R2) . . . . .	53
3.3.4	Experiment 2 (E2R1 and E2R2) . . . . .	55
3.3.5	Experiment 3 (E3) . . . . .	55
3.3.6	Experiment 4 . . . . .	56
3.4	Discussion . . . . .	57

3.4.1	HydroC sensor vs Liqui-Cel+LGR sensor and discrete measurements	57
3.4.2	The set-up does influence the response time . . . . .	58
3.4.3	The concentration gradients tested did not clearly influence the response time . . . . .	58
3.5	Conclusion . . . . .	60
<b>4</b>	<b>A journey from land to sea: the Scheldt estuary</b>	<b>61</b>
<b>5</b>	<b>In a shallow coastal environment: the Wadden Sea</b>	<b>73</b>
5.1	Introduction . . . . .	75
5.2	Material and methods . . . . .	76
5.2.1	Water column measurements . . . . .	76
5.2.2	Atmospheric measurements . . . . .	77
5.3	Results and discussion . . . . .	77
5.3.1	CH <sub>4</sub> in the water column . . . . .	78
5.3.2	CH <sub>4</sub> in the atmosphere . . . . .	80
5.3.3	CH <sub>4</sub> emissions from the Wadden Sea . . . . .	82
5.4	Conclusion . . . . .	84
<b>6</b>	<b>Towards polar latitudes: the Barents Sea</b>	<b>85</b>
6.1	Introduction . . . . .	87
6.2	The ChAOS project and JR17007 cruise . . . . .	88
6.3	Material and methods . . . . .	90
6.3.1	Dissolved CH <sub>4</sub> measurements . . . . .	90
6.3.2	Atmospheric CH <sub>4</sub> measurements . . . . .	90
6.4	Results . . . . .	91
6.4.1	Water masses . . . . .	91
6.4.2	Dissolved CH <sub>4</sub> . . . . .	93
6.4.3	Atmospheric CH <sub>4</sub> . . . . .	96
6.5	Discussion . . . . .	97
6.5.1	Does sea ice influence surface concentration in dissolved CH <sub>4</sub> ? . . . .	97
6.5.2	Potential for CH <sub>4</sub> <i>in situ</i> production in surface waters . . . . .	97
6.5.3	Seafloor emissions . . . . .	98
6.5.4	CH <sub>4</sub> anomalies in the Norwegian Sea . . . . .	100
6.6	Conclusion . . . . .	103
<b>7</b>	<b>Trapped in landfast sea ice at Barrow and Cape Evans</b>	<b>105</b>
7.1	Introduction . . . . .	108

7.2	Study location . . . . .	110
7.3	Methods . . . . .	111
7.3.1	CH <sub>4</sub> concentration measurement . . . . .	111
7.3.2	Stable isotopic composition of CH <sub>4</sub> . . . . .	112
7.4	Modelling . . . . .	112
7.5	Results . . . . .	114
7.5.1	Barrow . . . . .	114
7.5.2	Cape Evans . . . . .	115
7.6	Discussion . . . . .	118
7.6.1	Barrow vs Cape Evans: significant differences in the carbon isotopic composition of CH <sub>4</sub> entrapped in sea ice . . . . .	118
7.6.2	Barrow . . . . .	118
7.6.2.1	Temporal variability of CH <sub>4</sub> isotopic composition in sea ice .	119
7.6.2.2	Evidence for <i>in situ</i> CH <sub>4</sub> oxidation . . . . .	120
7.6.3	Cape Evans . . . . .	124
7.6.3.1	Temporal variability of CH <sub>4</sub> isotopic composition in sea ice .	125
7.6.3.2	Evidence for a hydrothermal CH <sub>4</sub> source . . . . .	126
7.6.3.3	Alternative source: <i>in situ</i> CH <sub>4</sub> production . . . . .	126
7.6.4	δD calling for further investigations . . . . .	130
7.7	Conclusion . . . . .	131
<b>8</b>	<b>Navigating through pack ice in the Ross Sea during autumn</b>	<b>137</b>
8.1	Introduction . . . . .	140
8.2	The PIPERS cruise . . . . .	141
8.3	Material and methods . . . . .	143
8.3.1	CH <sub>4</sub> concentration in seawater . . . . .	143
8.3.2	CH <sub>4</sub> concentration in sea ice . . . . .	143
8.3.3	Atmospheric CH <sub>4</sub> mixing ratio . . . . .	143
8.3.4	Stable isotopic composition of CH <sub>4</sub> in discrete samples . . . . .	144
8.4	Results . . . . .	145
8.4.1	Water masses on the Ross Sea continental shelf . . . . .	145
8.4.2	CH <sub>4</sub> in seawater . . . . .	145
8.4.3	CH <sub>4</sub> in sea ice . . . . .	150
8.4.4	CH <sub>4</sub> in the atmosphere . . . . .	150
8.5	Discussion . . . . .	152
8.5.1	Seawater . . . . .	152

8.5.2	Sea ice . . . . .	157
8.5.3	Atmosphere . . . . .	159
8.6	Conclusion . . . . .	162
<b>9</b>	<b>Conclusion</b>	<b>163</b>
9.1	The contribution of temperate coastal regions . . . . .	165
9.2	The particular case of polar continental shelves . . . . .	166
9.3	The role of sea ice in the biogeochemical cycle of CH <sub>4</sub> . . . . .	168
9.4	CH <sub>4</sub> dynamics in the light of stable isotopes . . . . .	170
9.5	Perspectives . . . . .	171