

Contents

Abstract	iii
Résumé	v
Acknowledgements	vii
Introduction	1
I The Self-Interacting Dark Matter with light mediator problematic	7
1 SIDM with a light mediator: a highly constrained scenario	9
1.1 Gravitational evidences for DM	9
1.1.1 Velocities in galaxy clusters	9
1.1.2 Rotation curves	11
1.1.3 Bullet cluster	12
1.1.4 Cosmic Microwave Background	14
Hydrogen recombination	14
Optical depth and photons decoupling	18
CMB anisotropies	20
Relic density	22
1.2 Dark Matter relic density	25
1.2.1 The Boltzmann equation	25
1.2.2 Freeze-out case	28
1.2.3 Freeze-in case	29
1.3 Small scale structure	32
1.3.1 Too-big-to-fail	32
1.3.2 Core-vs-cusp	32
1.3.3 Diversity	34
1.3.4 DM hidden sector and portals	34
Benchmark model A: Higgs portal DM model	36
Benchmark model B: Kinetic Mixing portal DM model	37
1.3.5 Dark matter self-interaction cross section	41

1.4	Cosmic microwave background	43
1.4.1	CMB constraint on DM annihilation rate	43
1.4.2	CMB constraints on mediator decay	45
1.4.3	CMB constraint on N_{eff}	46
1.5	Big bang nucleosynthesis	47
1.5.1	Production of light nuclei	48
1.5.2	Photodisintegration BBN constraints	51
1.5.3	BBN constraints from modification of the Hubble constant and entropy injection	51
1.6	Supernovae 1987a	52
1.7	Direct detection	54
1.8	Indirect detection	60
1.9	Production at colliders	62
1.10	A global picture	63
2	The Sommerfeld effect	65
2.1	Self-scattering case	66
2.1.1	The dimensionless Schrödinger equation	66
2.1.2	Relic density requirement for a freeze-out	70
2.1.3	Dark Matter self-interactions	71
2.1.4	Smaller annihilation cross section	76
2.2	Effect of the Sommerfeld effect on DM annihilations	77
2.2.1	The Sommerfeld factor	79
2.2.2	s-wave annihilation	80
2.2.3	p-wave annihilation	82
II	DM production and Hidden Sector	87
3	Dark Matter production mechanisms	89
3.1	The three sectors and their connections	89
3.2	Phase diagram of dark matter production	90
3.2.1	Set of Boltzmann equation	94
3.2.2	Freeze-in: regimes Ia and Ib	101
3.2.3	Sequential freeze-in: regime II	105
3.2.4	Reannihilation: regimes IIIa and IIIb	107
3.2.5	Secluded freeze-out: regimes IVa and IVb	111
3.2.6	Freeze-out: regimes Va and Vb	112
3.3	Specificity of the vector portal model	114
3.3.1	Thermal effects	114
3.3.2	Freeze-in regimes	118

3.3.3	Sequential freeze-in regime	119
3.3.4	Reannihilation regimes	119
3.3.5	Secluded freeze-out regimes	119
3.3.6	Freeze-out regimes	120
3.4	Specificity of the scalar portal model	120
3.4.1	The broken phase	121
3.4.2	The semi-broken phase	122
3.4.3	The symmetric phase	123
4	Thermally disconnected HS	127
4.1	Theoretical constraints	128
4.1.1	Relativistic decoupling floor	128
4.1.2	Unitarity wall	130
4.1.3	Thermalised Hidden Sector requirement	134
4.1.4	Thermal DM mass range	137
4.2	Observational constraints	140
4.2.1	N_{eff}	140
4.2.2	Free-streaming constraints	144
4.3	The 2D domain	146
4.4	Explicit models in the 2D domain	147
4.4.1	Scenario 1 : t-channel	148
4.4.2	Scenario 2: s-channel	149
4.4.3	The role of the heavy mediator	150
III	Self-Interacting Dark Matter ways-out	155
5	SIDM in a colder Hidden Sector	157
5.1	Hidden sector temperature	157
5.2	Portal strength to the visible sector	161
5.3	Constraints	163
5.3.1	CMB	163
	DM annihilation rate	163
	Mediator decay	164
	N_{eff}	165
5.3.2	BBN	166
5.3.3	Direct detection	167
5.3.4	Indirect detection	168
5.4	Summary plot	168
5.4.1	Kinetic mixing portal	168
5.4.2	Higgs portal	169

5.5	What if no portal at all?	171
6	Additional minimal solutions for SIDM	173
6.1	Subleading DM annihilation into light mediators	173
6.1.1	CMB	177
6.1.2	BBN	177
6.1.3	Direct detection	178
6.1.4	Indirect detection	179
6.1.5	Detailed results	179
6.2	The p-wave option	181
6.2.1	CMB	182
6.2.2	BBN	183
6.2.3	Direct detection	184
6.2.4	Indirect detection	184
6.2.5	Results	184
6.3	Stable mediator option	185
6.3.1	Non-overclosure	189
6.3.2	CMB	189
6.3.3	BBN	189
6.3.4	Direct detection	189
6.3.5	Indirect detection	189
6.4	The neutrino option	190
6.5	The asymmetric dark matter option	191
	Summary and outlooks	193
IV	Appendices	197
A	Cross sections	199
A.1	Higgs portal	199
A.2	Kinetic mixing	200
B	Thermal effects	203
C	Instantaneous freeze-out approximation	209
C.1	The thermally connected HS case	209
C.2	The thermally disconnected HS case	210
C.3	Further the instantaneous freeze-out approximation	211
	Bibliography	213