



FACULTÉ
DES SCIENCES

UNIVERSITÉ LIBRE DE BRUXELLES

Coastal water management under the mixoplankton paradigm

Thesis submitted by Lisa Kathleen SCHNEIDER
in fulfilment of the requirements of the PhD Degree in agronomics and
bioengineering
Academic year 2020-2021

Supervisor: Professor Nathalie GYPENS

Co-supervisor: Dr Willem STOLTE

Thesis jury:

Philippe DUBOIS (Université libre de Bruxelles, Chair)
Nathalie GYPENS (Université libre de Bruxelles, Supervisor, Secretary)
Willem STOLTE (Co-supervisor, Deltares)
Lei CHOU (Université libre de Bruxelles)
Kevin FLYNN (Plymouth Marine Laboratory)
Karline SOETAERT (NIOZ, Universiteit Utrecht)
Tineke A. TROOST (Deltares)
Susanna WILKEN (University of Amsterdam)



Contents

Acknowledgments	V
Abstract	VII
Résumé	VIII
Abbreviations	IX
List of Figures	XI
List of Tables	XV
1 General introduction	1
1.1 Context	1
1.2 Objectives	5
1.3 Outline	6
2 Background information	9
2.1 Trophic modes of marine protists	9
2.1.1 Phytoplankton	12
2.1.2 Mixoplankton	13
2.1.3 Protozooplankton	15
2.2 Study area: North Sea	17
2.3 Aquatic ecosystem models	19
3 Exploring the trophic spectrum	21
3.1 Introduction	23
3.2 Material and methods	25
3.2.1 Study site	25
3.2.2 Datasets	26
3.3 Results	29
3.3.1 Abiotic data	29

3.3.2	Protist data	31
3.3.3	Abiotic drivers of mixoplankton distribution	39
3.4	Discussion	40
4	A dataset on trophic modes	45
4.1	Introduction	47
4.2	General description	48
4.3	Project description	48
4.4	Sampling methods	49
4.5	Geographic coverage	51
4.6	Taxonomic coverage	51
4.7	Traits coverage	52
5	Modeling mixoplankton	55
5.1	Introduction	57
5.2	Material and methods	59
5.2.1	The module PROTIST	59
5.2.2	Functional types in PROTIST	61
5.2.3	Physiological processes in PROTIST	62
5.2.4	AEM application	69
5.3	Results	73
5.3.1	PFT timeseries	73
5.3.2	Quantitative validation	75
5.3.3	Qualitative validation of the trophic composition	78
5.3.4	Sensitivity analysis to test CM occurrence hypothesis	80
5.4	Discussion	81
5.5	Conclusion	84
6	Seaweed - protist interactions	85
6.1	Introduction	87
6.2	Material and methods	89
6.2.1	Study area	89
6.2.2	Model specification	91
6.2.3	Model application, validation and analysis	95
6.3	Results	96
6.3.1	Reference scenario validation	96
6.3.2	Growth of seaweed	102
6.3.3	Scenario comparisons	102
6.4	Discussion	107

7 Discussion	111
7.1 Trophic composition	113
7.2 Environmental drivers	114
7.3 Anthropogenic impact	114
7.4 Advances to field	118
7.5 Limitations	119
7.5.1 Focus on CMs	119
7.5.2 Surface layer	120
7.5.3 Lack of other modules and data	121
7.5.4 1D and 3D model limitations	122
7.6 IEM	125
7.7 Outlook and conclusions	127
Bibliography	129
A Supplementary information: Exploring the trophic spectrum	153
A.1 Supplementary figure	153
A.2 Temporal analysis of the datasets	154
A.3 Heatmaps of bottom and pycnocline	159
B Supplementary information: Modeling mixoplankton	163
B.1 General information	164
B.2 Model description	165
B.2.1 Model SV	165
B.2.2 Model parameters	166
B.2.3 Model auxiliaries	169
B.2.4 Model fluxes	170
B.2.5 Conservation equations	173
B.2.6 Model equations	175
B.3 Boundary forcings	183
B.4 Model forcings	188
B.5 Box model	190
B.5.1 Box model set-up	190
B.5.2 Box model results	190
B.6 Normalized standard deviation	192
C Supplementary information: Seaweed - protist interactions	193
C.1 Absolute difference maps	194
C.1.1 Dissolved inorganic nutrients	194
C.1.2 Protist functional types	197
C.2 Relative difference maps	203

C.2.1	Dissolved inorganic nutrients	203
C.2.2	Protist functional types	205